

EXHIBIT B



US008706078B2

(12) **United States Patent**
Fomukong et al.

(10) **Patent No.:** **US 8,706,078 B2**
(45) **Date of Patent:** ***Apr. 22, 2014**

(54) **LOCATION REPORTING SATELLITE
PAGING SYSTEM WITH PRIVACY FEATURE**

(75) Inventors: **Mundi Fomukong**, Los Angeles, CA
(US); **Denzil Willoughby Chesney**, Los
Angeles, CA (US)

(73) Assignee: **Enovsys LLC**, Beverly Hills, CA (US)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

This patent is subject to a terminal dis-
claimer.

(21) Appl. No.: **13/414,518**

(22) Filed: **Mar. 7, 2012**

(65) **Prior Publication Data**

US 2012/0164970 A1 Jun. 28, 2012

Related U.S. Application Data

(63) Continuation of application No. 10/414,348, filed on
Apr. 15, 2003, now Pat. No. 8,195,188, which is a
continuation of application No. 09/265,236, filed on
Mar. 8, 1999, now Pat. No. 6,560,461, which is a
continuation-in-part of application No. 08/905,674,
filed on Aug. 4, 1997, now Pat. No. 5,918,159.

(51) **Int. Cl.**
H04M 11/04 (2006.01)

(52) **U.S. Cl.**
USPC **455/404.2**; 455/404.1; 455/456.1;
455/456.3; 455/457

(58) **Field of Classification Search**
USPC 455/404.1–404.2, 410–411, 427,
455/432.1–453, 456.1–456.3, 457–458;
370/331–333

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,947,807 A	3/1976	Tyler
3,979,731 A	9/1976	Naplatanov
3,984,807 A	10/1976	Haemmig

(Continued)

FOREIGN PATENT DOCUMENTS

AU	525251	10/1982
CA	958772	12/1974

(Continued)

OTHER PUBLICATIONS

Allan Kirson; ATIS—A Modular Approach; Kirson—ATIS—A
Modular Approach.pdf; In: IEEE Plans '92—Position Location and
Navigation Symposium, Monterey, CA, Mar. 24–27, 1992, Record;
(A93-10976 01-04), p. 528-533).

(Continued)


Primary Examiner — Dai A Phuong

(74) *Attorney, Agent, or Firm* — SoCal IP Law Group LLP;
Jonathan Pearce; Steven C. Sereboff

(57) **ABSTRACT**

A location reporting paging communication system compris-
ing space satellites, ground stations and a remote receiving
unit adapted to resolve a global position from signals trans-
mitted from a communication transmitter. The subscriber in
possession of the remote receiving unit updates the paging
network with global positioning information. A caller paging
a subscriber in possession of the remote receiving unit may
request the global location of the remote receiving unit. The
paging network could divulge or block such information from
a caller depending on the requirements of the subscriber.

34 Claims, 4 Drawing Sheets



US 8,706,078 B2

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

4,109,247 A	8/1978	Kaplan	4,774,705 A	9/1988	Eaves, Jr.
4,112,421 A	9/1978	Freeny, Jr.	4,776,035 A	10/1988	Duggan
4,177,466 A	12/1979	Reagan	4,791,572 A	12/1988	Green, III
4,188,618 A	2/1980	Weisbart	4,797,948 A	1/1989	Milliom
4,209,787 A	6/1980	Freeny, Jr.	4,804,937 A	2/1989	Barbiaux
4,217,588 A	8/1980	Freeny, Jr.	4,809,006 A	2/1989	Dar
4,220,946 A	9/1980	Henriot	H610 H	3/1989	Focarile
4,229,737 A	10/1980	Heldwein	4,812,852 A	3/1989	Bent
4,232,266 A	11/1980	Acampora	4,818,998 A	4/1989	Apsell
4,259,741 A	3/1981	Kawai	4,819,227 A	4/1989	Rosen
4,285,064 A	8/1981	Hodge	4,823,341 A	4/1989	Rosen
4,297,672 A	10/1981	Fruchey	4,825,216 A	4/1989	DuFort
4,303,904 A	12/1981	Chasek	4,827,268 A	5/1989	Rosen
4,313,035 A	1/1982	Jordan	4,831,539 A	5/1989	Hagenbuch
4,315,262 A	2/1982	Acampora	4,831,619 A	5/1989	Rosen
4,319,352 A	3/1982	Gupta	4,833,701 A	5/1989	Comroe
4,338,587 A	7/1982	Chiappetti	4,837,556 A	6/1989	Matsushita
4,347,501 A	8/1982	Akerberg	4,839,656 A	6/1989	O'Neill
4,350,969 A	9/1982	Greer	4,839,835 A	6/1989	Hagenbuch
4,356,484 A	10/1982	Eckhardt	4,845,504 A	7/1989	Roberts
4,359,733 A	11/1982	O'Neill	4,845,648 A	7/1989	Hagenbuch
4,381,509 A	4/1983	Rotman	4,853,688 A	8/1989	Andros
4,393,493 A	7/1983	Edwards	4,857,915 A	8/1989	Andros
4,398,192 A	8/1983	Moore	4,864,306 A	9/1989	Wiita
4,399,330 A	8/1983	Kuenzel	4,866,431 A	9/1989	Andros
4,423,416 A	12/1983	Bailey	4,868,558 A	9/1989	Andros
4,424,514 A	1/1984	Fennell	4,868,562 A	9/1989	Andros
4,425,639 A	1/1984	Acampora	5,005,014 A	4/1991	Jasinski
4,427,980 A	1/1984	Fennell	5,047,763 A	9/1991	Kuznicki
4,431,991 A	2/1984	Bailey	5,109,544 A	4/1992	Mittel
4,435,711 A	3/1984	Ho	5,111,209 A	5/1992	Toriyama
4,491,947 A	1/1985	Frank	5,121,115 A	6/1992	Andros
4,507,662 A	3/1985	Rothenberg	5,124,697 A	6/1992	Moore
4,510,595 A	4/1985	Glance	5,144,648 A	9/1992	Bhagat
4,512,033 A	4/1985	Schrock	5,148,469 A	9/1992	Price
4,517,561 A	5/1985	Burke	5,151,920 A	9/1992	Haagh
4,518,961 A	5/1985	Davis	5,151,921 A	9/1992	Hashimoto
4,531,129 A	7/1985	Bonebright	5,153,902 A	10/1992	Buhl et al.
4,577,060 A	3/1986	Webb	5,159,608 A	10/1992	Falconer
4,577,316 A	3/1986	Schiff	5,160,935 A	11/1992	Inamiya
4,581,736 A	4/1986	Dobyns	5,185,762 A	2/1993	Schilling
4,601,011 A	7/1986	Grynberg	5,187,675 A	2/1993	Dent
4,626,858 A	12/1986	Copeland	5,193,102 A	3/1993	Meidan
4,628,506 A	12/1986	Sperlich	5,197,092 A	3/1993	Bamburak
4,642,425 A	2/1987	Guinn, Jr.	5,202,829 A	4/1993	Geier
4,644,351 A	2/1987	Zabarsky	5,204,874 A	4/1993	Falconer
4,648,123 A	3/1987	Schrock	5,210,770 A	5/1993	Rice
4,651,156 A	3/1987	Martinez	5,216,692 A	6/1993	Ling
4,652,884 A	3/1987	Starker	5,216,693 A	6/1993	Nakamura
4,654,860 A	3/1987	Quimet	5,218,708 A	6/1993	Kanbayashi
4,661,972 A	4/1987	Kai	5,220,366 A	6/1993	King
4,667,202 A	5/1987	Kammerlander	5,223,844 A	6/1993	Mansell
4,672,655 A	6/1987	Koch	5,224,120 A	6/1993	Schilling
4,672,656 A	6/1987	Pfeiffer	5,224,121 A	6/1993	Schorman
4,677,653 A	6/1987	Weiner	5,224,122 A	6/1993	Bruckert
4,680,785 A	7/1987	Akiyama	5,228,054 A	7/1993	Rueth
4,684,949 A	8/1987	Kalafus	5,228,056 A	7/1993	Schilling
4,689,625 A	8/1987	Barmat	5,231,646 A	7/1993	Heath
4,691,341 A	9/1987	Knoble	5,235,615 A	8/1993	Omura
4,691,882 A	9/1987	Young	5,237,586 A	8/1993	Bottomley
4,697,187 A	9/1987	Ohno	5,239,669 A	8/1993	Mason
4,697,281 A	9/1987	O'Sullivan	5,241,563 A	8/1993	Paik
4,700,374 A	10/1987	Bini	5,247,702 A	9/1993	Su
4,701,760 A	10/1987	Raoux	5,252,964 A	10/1993	Tan
4,706,239 A	11/1987	Ito	5,257,028 A	10/1993	Keydel
4,713,661 A	12/1987	Boone	5,257,397 A	10/1993	Barzegar
4,723,264 A	2/1988	Sasuta	5,258,995 A	11/1993	Su
4,730,305 A	3/1988	Acampora	5,263,045 A	11/1993	Schilling
4,742,514 A	5/1988	Goode	5,268,930 A	12/1993	Sendyk
4,744,083 A	5/1988	O'Neill	5,268,933 A	12/1993	Averbuch
4,748,622 A	5/1988	Muratani	5,276,704 A	1/1994	Dixon
4,752,967 A	6/1988	Bustamante	5,278,863 A	1/1994	Briskman
4,754,450 A	6/1988	Lynk, Jr.	5,280,472 A	1/1994	Gilhousen
4,757,267 A	7/1988	Riskin	5,280,498 A	1/1994	Tymes
4,763,129 A	8/1988	Perrotta	5,282,222 A	1/1994	Fattouche
			5,285,469 A	2/1994	Vanderpool
			5,285,472 A	2/1994	Leonard
			5,285,496 A	2/1994	Frank
			5,291,516 A	3/1994	Dixon

US 8,706,078 B2

Page 3

(56)

References Cited

U.S. PATENT DOCUMENTS

5,293,418 A	3/1994	Fukawa	5,671,247 A	9/1997	Souissi
5,295,152 A	3/1994	Gudmundson	5,684,859 A	11/1997	Chanroo et al.
5,295,153 A	3/1994	Gudmundson	5,687,215 A	11/1997	Timm
5,295,157 A	3/1994	Suzuki	5,689,245 A	11/1997	Noreen
5,297,143 A	3/1994	Fridrich	5,689,270 A	11/1997	Kelley
5,297,161 A	3/1994	Ling	5,699,244 A	12/1997	Clark, Jr.
5,299,226 A	3/1994	Schilling	5,705,980 A	1/1998	Shapiro
5,303,286 A	4/1994	Wiedeman	5,706,014 A	1/1998	Abbasi
5,305,349 A	4/1994	Dent	5,708,964 A	1/1998	Meger
5,327,144 A	7/1994	Stilp et al.	5,717,955 A	2/1998	Swinehart
5,337,041 A	8/1994	Friedman	5,724,660 A	3/1998	Kausar
5,349,632 A	9/1994	Nagashima	5,726,660 A	3/1998	Purdy
5,365,451 A	11/1994	Wang et al.	5,726,663 A	3/1998	Moyer
5,388,147 A	2/1995	Grimes	5,726,893 A	3/1998	Schuchman
5,404,355 A	4/1995	Raith	5,729,196 A	3/1998	Aljadeff
5,408,528 A	4/1995	Carlson	5,729,457 A	3/1998	Seymour
5,430,759 A	7/1995	Yokev	5,731,785 A *	3/1998	Lemelson et al. 342/357.31
5,437,057 A	7/1995	Richley et al.	5,732,074 A	3/1998	Spaur et al.
5,444,671 A	8/1995	Tschannen	5,732,387 A	3/1998	Armbruster et al.
5,485,163 A	1/1996	Singer et al.	5,734,981 A	3/1998	Kennedy, III
5,491,645 A	2/1996	Kennedy	5,737,731 A	4/1998	Lester
5,493,692 A	2/1996	Theimer et al.	5,742,233 A	4/1998	Hoffman
5,499,032 A	3/1996	Kelley	5,742,509 A	4/1998	Goldberg
5,499,266 A	3/1996	Yokev	5,748,084 A	5/1998	Isikoff
5,504,491 A	4/1996	Chapman	5,748,148 A	5/1998	Heiser et al.
5,511,233 A	4/1996	Otten	5,751,246 A	5/1998	Hertel
5,512,884 A	4/1996	Hesse	5,754,136 A	5/1998	Kojima
5,517,618 A	5/1996	Wada	5,760,705 A	6/1998	Glessner
5,519,718 A	5/1996	Yokev	5,771,280 A *	6/1998	Johnson 379/93.23
5,522,989 A	6/1996	Hove	5,771,455 A	6/1998	Kennedy, III
5,526,357 A	6/1996	Jandrell	5,774,802 A	6/1998	Tell et al.
5,530,438 A	6/1996	Bickham	5,774,829 A	6/1998	Cisneros
5,530,452 A	6/1996	Yokev	5,778,315 A	7/1998	Proietti
5,532,690 A	7/1996	Hertel	5,781,151 A	7/1998	Stratton
5,543,803 A	8/1996	Serfling	5,784,028 A	7/1998	Corman
5,544,321 A	8/1996	Theimer et al.	5,787,347 A	7/1998	Yu
5,550,551 A	8/1996	Alesio	5,790,073 A	8/1998	Tayloe
5,550,743 A	8/1996	Kyrtos	5,790,074 A	8/1998	Rangebahl et al.
5,551,063 A	8/1996	Brandon	5,790,938 A	8/1998	Talarino
5,552,795 A	9/1996	Tayloe	5,790,953 A	8/1998	Wang
5,555,376 A	9/1996	Theimer et al.	5,790,956 A	8/1998	Lo
5,561,704 A	10/1996	Salimando	5,790,973 A	8/1998	Blaker
5,564,070 A	10/1996	Want et al.	5,794,151 A	8/1998	McDonald
5,570,412 A	10/1996	LeBlanc	5,797,091 A	8/1998	Clise
5,572,221 A	11/1996	Marlevi et al.	5,797,134 A	8/1998	McMillan
5,583,517 A	12/1996	Yokev	5,802,453 A	9/1998	Kuroki
5,592,173 A	1/1997	Lau	5,802,454 A	9/1998	Goshay et al.
5,592,180 A	1/1997	Yokev	5,802,468 A	9/1998	Gallant
5,594,425 A	1/1997	Ladner	5,805,055 A	9/1998	Colizza
5,596,330 A	1/1997	Yokev	5,806,005 A	9/1998	Hull
5,603,054 A	2/1997	Theimer et al.	5,809,059 A	9/1998	Souissi
5,603,079 A	2/1997	Olds	5,809,396 A	9/1998	Armbruster
5,606,307 A	2/1997	Kuan	5,812,086 A	9/1998	Bertiger
5,611,050 A	3/1997	Theimer et al.	5,812,865 A	9/1998	Theimer et al.
5,615,110 A	3/1997	Wong	5,815,800 A	9/1998	Su
5,617,101 A	4/1997	Maine	RE35,916 E	10/1998	Dennison
5,625,351 A	4/1997	Willard	5,831,545 A	11/1998	Murray
5,625,668 A	4/1997	Loomis	5,832,187 A	11/1998	Pedersen
5,627,549 A	5/1997	Park	5,832,381 A	11/1998	Kauppi
5,629,693 A	5/1997	Janky	5,835,907 A	11/1998	Newman
5,629,855 A	5/1997	Kyrtos	5,838,237 A	11/1998	Revell
5,630,206 A	5/1997	Urban	5,842,125 A	11/1998	Modzelesky
5,630,207 A	5/1997	Gitlin	5,842,131 A	11/1998	Yamane
5,633,875 A	5/1997	Hershey et al.	5,845,079 A	12/1998	Wada
5,636,122 A	6/1997	Shah et al.	5,850,602 A	12/1998	Tisdale
5,636,245 A	6/1997	Ernst	5,859,576 A	1/1999	Winandy
5,646,630 A	7/1997	Sheynblat	5,862,480 A	1/1999	Wild
5,646,632 A	7/1997	Khan	5,862,501 A	1/1999	Talbot
5,650,770 A	7/1997	Schlager	5,864,546 A	1/1999	Campanella
5,654,717 A	8/1997	Nichols	5,864,764 A	1/1999	Thro
5,659,601 A	8/1997	Cheslog	H1782 H	2/1999	Wicks
5,661,652 A	8/1997	Sprague et al.	5,867,490 A	2/1999	Campanella
5,666,107 A	9/1997	Lockhart	5,870,390 A	2/1999	Campanella
5,666,661 A	9/1997	Grube	5,870,426 A	2/1999	Yokev
5,669,061 A	9/1997	Schipper	5,875,182 A	2/1999	Hatzipapafotiou
			5,883,580 A	3/1999	Briancon
			5,883,594 A	3/1999	Lau
			5,884,172 A	3/1999	Sawyer
			5,886,635 A	3/1999	Landa

US 8,706,078 B2

Page 4

(56)

References Cited

U.S. PATENT DOCUMENTS

5,889,473 A	3/1999	Wicks	6,011,973 A	1/2000	Valentine et al.
5,889,492 A	3/1999	Kurby	6,014,080 A	1/2000	Layson, Jr.
5,894,591 A	4/1999	Tamayo	6,016,322 A	1/2000	Goldman
5,895,436 A	4/1999	Savoie	6,018,313 A	1/2000	Engelmayer
5,897,605 A	4/1999	Kohli	6,018,573 A	1/2000	Tanaka
5,898,680 A	4/1999	Johnstone	6,018,652 A	1/2000	Fragar
5,900,838 A	5/1999	Khan et al.	6,018,657 A	1/2000	Kennedy, III
5,901,171 A	5/1999	Kohli	6,018,704 A	1/2000	Kohli
5,903,618 A	5/1999	Miyake	6,021,330 A	2/2000	Vannucci
5,903,837 A	5/1999	Wiedeman	6,023,219 A	2/2000	Lee
5,903,845 A	5/1999	Buhrmann	6,023,245 A	2/2000	Gomez
5,905,958 A	5/1999	Houde	6,023,606 A	2/2000	Monte
5,907,809 A	5/1999	Molnar	6,025,774 A	2/2000	Forbes
5,913,170 A	6/1999	Wortham	6,026,306 A	2/2000	Foladare et al.
5,917,405 A	6/1999	Joao	6,028,514 A	2/2000	Lemelson
5,918,159 A	6/1999	Fomukong	6,028,537 A	2/2000	Suman
5,918,176 A	6/1999	Arrington, Jr.	6,029,066 A	2/2000	Despres
5,918,180 A	6/1999	Dimino	6,031,467 A	2/2000	Hymel
5,924,034 A	7/1999	Dupuy	6,031,489 A	2/2000	Wyrwas
5,926,108 A	7/1999	Wicks	6,035,202 A	3/2000	Camp, Jr.
5,926,133 A	7/1999	Green, Jr.	6,038,444 A	3/2000	Schipper
5,926,467 A	7/1999	Hershey	6,038,445 A	3/2000	Alperovich
5,926,745 A	7/1999	Threadgill	6,038,451 A	3/2000	Syed
5,929,752 A	7/1999	Janky	6,041,280 A	3/2000	Kohli
5,929,753 A	7/1999	Montague	6,044,261 A	3/2000	Kazmi
5,930,713 A	7/1999	Nguyen	6,044,265 A	3/2000	Roach, Jr.
5,933,098 A	8/1999	Haxton	6,046,687 A	4/2000	Janky
5,933,431 A	8/1999	Ko	6,047,017 A	4/2000	Cahn
5,936,571 A	8/1999	Desjardins	6,047,161 A	4/2000	Sowles
5,937,332 A	8/1999	Karabinis	6,047,183 A	4/2000	Kingdon
5,938,706 A	8/1999	Feldman	6,049,711 A	4/2000	Ben-Yehzekel et al.
5,940,764 A	8/1999	Mikami	6,049,718 A	4/2000	Stewart
5,943,689 A	8/1999	Tamer	6,052,646 A	4/2000	Kirkhart
5,946,603 A	8/1999	Ibanez-Meier	6,054,928 A	4/2000	Lemelson
5,946,611 A	8/1999	Dennison	6,054,934 A	4/2000	Cho
5,946,619 A	8/1999	Kolev	6,055,426 A	4/2000	Beasley
5,946,626 A *	8/1999	Foladare et al. 455/456.1	6,055,434 A	4/2000	Seraj
5,950,137 A	9/1999	Kim	6,058,307 A	5/2000	Garner
5,953,672 A	9/1999	Lengdell	6,059,843 A	5/2000	Kirkhart
5,955,965 A	9/1999	Calandruccio	6,061,021 A	5/2000	Zibell
5,956,656 A	9/1999	Yamazaki	6,061,389 A	5/2000	Ishifuji
5,959,529 A	9/1999	Kail, IV	6,061,565 A	5/2000	Innes
5,959,545 A	9/1999	Lhamon	6,064,943 A	5/2000	Clark, Jr.
5,959,577 A	9/1999	Fan et al.	6,064,970 A	5/2000	McMillan
5,963,129 A	10/1999	Warner	6,067,007 A	5/2000	Gioia
5,963,130 A	10/1999	Schlager	6,067,031 A	5/2000	Janky
5,963,846 A	10/1999	Kurby	6,069,570 A	5/2000	Herring
5,963,866 A	10/1999	Palamara et al.	6,070,085 A	5/2000	Bender
5,966,093 A	10/1999	Chapman	6,072,429 A	6/2000	Crothall
5,966,651 A	10/1999	Sibecas	6,072,768 A	6/2000	Wiedeman
5,966,658 A	10/1999	Kennedy, III	6,073,004 A	6/2000	Balachandran
5,969,595 A	10/1999	Schipper	6,073,012 A	6/2000	Vanden Heuvel
5,973,613 A	10/1999	Reis	6,073,013 A	6/2000	Agre et al.
5,973,643 A	10/1999	Hawkes et al.	6,075,458 A	6/2000	Ladner
5,982,322 A	11/1999	Bickley	6,075,776 A	6/2000	Tanimoto et al.
5,982,323 A	11/1999	Czichy	6,076,099 A	6/2000	Chen
5,982,324 A	11/1999	Watters	6,078,818 A	6/2000	Kingdon
5,982,325 A	11/1999	Thornton	6,084,510 A	7/2000	Lemelson
5,983,074 A	11/1999	Jansen	6,084,544 A	7/2000	Camp, Jr.
5,983,103 A	11/1999	Sakaguchi	6,085,090 A	7/2000	Yee
5,983,161 A	11/1999	Lemelson	6,085,148 A	7/2000	Jamison
5,990,785 A	11/1999	Suda	6,087,983 A	7/2000	Ho
5,990,826 A	11/1999	Mitchell	6,091,358 A	7/2000	Maniscalco
5,995,495 A	11/1999	Sampson	6,091,956 A	7/2000	Hollenberg
5,995,804 A	11/1999	Rootsey	6,091,957 A	7/2000	Larkins
5,999,088 A	12/1999	Sibbitt	6,091,959 A	7/2000	Souissi
5,999,124 A	12/1999	Sheynblat	6,092,008 A	7/2000	Bateman
5,999,125 A	12/1999	Kurby	6,094,168 A	7/2000	Duffett-Smith
5,999,797 A	12/1999	Zancho	6,104,925 A	8/2000	Grube
5,999,880 A	12/1999	Okada	6,105,060 A	8/2000	Rothblatt
6,002,936 A	12/1999	Roel-Ng	6,108,319 A	8/2000	Campanella
6,005,517 A	12/1999	Friedrichs	6,108,563 A	8/2000	Shishino
6,006,159 A	12/1999	Schmier	6,112,083 A	8/2000	Sweet
6,009,330 A	12/1999	Kennedy, III	6,112,085 A	8/2000	Garner
6,011,510 A	1/2000	Yee	6,114,991 A	9/2000	Richton
			6,115,366 A	9/2000	Campanella
			6,115,371 A	9/2000	Bersts
			6,115,605 A	9/2000	Siccardo
			6,115,754 A	9/2000	Landgren

US 8,706,078 B2

Page 5

(56)

References Cited

U.S. PATENT DOCUMENTS

6,118,977 A	9/2000	Vannucci	6,236,937 B1	5/2001	Kohli
6,119,014 A	9/2000	Alperovich	6,240,295 B1	5/2001	Kennedy, III
6,125,325 A	9/2000	Kohli	6,243,039 B1	6/2001	Elliot
6,128,487 A	10/2000	Wiedeman	6,243,587 B1	6/2001	Dent
6,131,067 A	10/2000	Girerd et al.	6,249,217 B1	6/2001	Forbes
6,133,853 A	10/2000	Obradovich	6,249,245 B1	6/2001	Watters
6,133,871 A	10/2000	Krasner	6,249,246 B1	6/2001	Bode
6,134,454 A	10/2000	Foladare	6,249,252 B1	6/2001	Dupray
6,137,425 A	10/2000	Oster	6,249,514 B1	6/2001	Campanella
6,138,003 A	10/2000	Kingdon et al.	6,249,542 B1	6/2001	Kohli et al.
6,138,026 A	10/2000	Irvin	6,253,069 B1	6/2001	Mankovitz
6,140,956 A	10/2000	Hillman	6,255,942 B1	7/2001	Knudsen
6,144,336 A	11/2000	Preston	6,255,988 B1	7/2001	Bischoff
6,144,927 A	11/2000	Grill	6,256,475 B1	7/2001	Vannucci
6,147,644 A	11/2000	Castles	6,256,503 B1	7/2001	Stephens
6,148,196 A	11/2000	Baumann	6,256,504 B1	7/2001	Tell et al.
6,148,212 A	11/2000	Park	6,262,764 B1	7/2001	Perterson
6,148,261 A	11/2000	Obradovich	6,266,014 B1	7/2001	Fattouche et al.
6,150,921 A	11/2000	Werb	6,266,617 B1	7/2001	Evans
6,151,505 A	11/2000	Larkins	6,268,804 B1	7/2001	Janky
6,154,172 A	11/2000	Piccionelli	6,269,250 B1	7/2001	Bender
6,154,656 A	11/2000	Camp, Jr.	6,271,788 B1	8/2001	Longaker
6,154,745 A	11/2000	Kari	6,272,338 B1	8/2001	Modzelesky
6,157,841 A	12/2000	Bolduc	6,272,339 B1	8/2001	Wiedeman
6,157,896 A	12/2000	Castles	6,272,341 B1	8/2001	Threadgill
6,160,994 A	12/2000	Wiedeman	6,275,164 B1	8/2001	MacConnell
6,161,005 A	12/2000	Pinzon	6,275,773 B1	8/2001	Lemelson
6,161,015 A	12/2000	Birchler	6,281,837 B1	8/2001	Richton
6,163,701 A	12/2000	Saleh et al.	6,282,231 B1	8/2001	Norman
6,166,626 A	12/2000	Janky	6,282,495 B1	8/2001	Kirkhart
6,167,235 A	12/2000	Sibecas	6,285,281 B1	9/2001	Gatto
6,167,266 A	12/2000	Havinis	6,289,279 B1	9/2001	Ito
6,169,497 B1	1/2001	Robert	6,289,331 B1	9/2001	Pedersen
6,169,881 B1	1/2001	Astrom	6,292,749 B2	9/2001	Kohli
6,169,902 B1	1/2001	Kawamoto	6,295,449 B1	9/2001	Westerlage
6,173,157 B1	1/2001	Godoroja	6,295,454 B1	9/2001	Havinis
6,175,308 B1	1/2001	Tallman	6,297,768 B1	10/2001	Allen, Jr.
6,178,326 B1	1/2001	Kalliokulju	6,298,243 B1	10/2001	Basile
6,184,801 B1	2/2001	Janky	6,298,306 B1	10/2001	Suarez
6,184,802 B1	2/2001	Lamb	6,300,902 B1	10/2001	Eslambolchi
6,185,265 B1	2/2001	Campanella	6,304,216 B1	10/2001	Gronemeyer
6,185,409 B1	2/2001	Threadgill	6,304,746 B1	10/2001	Fascenda
6,185,427 B1	2/2001	Krasner	6,304,757 B1	10/2001	Larsson
6,188,353 B1	2/2001	Mitchell	6,310,944 B1	10/2001	Brisebois
6,188,911 B1	2/2001	Wallentin	6,311,128 B1	10/2001	Prum
6,195,022 B1	2/2001	Yamakita	6,314,290 B1	11/2001	Joshi
6,195,039 B1	2/2001	Glass, Jr.	6,320,535 B1	11/2001	Hillman
6,195,555 B1	2/2001	Dent	6,321,090 B1	11/2001	Soliman
6,195,557 B1	2/2001	Havinis	6,321,092 B1	11/2001	Fitch
6,198,390 B1	3/2001	Schlager	6,324,404 B1	11/2001	Dennison
6,198,765 B1	3/2001	Cahn	6,324,473 B1	11/2001	Eschenbach
6,198,930 B1	3/2001	Schipper	6,327,471 B1	12/2001	Song
6,198,933 B1	3/2001	Lundin	6,327,570 B1	12/2001	Stevens
6,199,045 B1 *	3/2001	Giniger et al. 705/1.1	6,330,454 B1	12/2001	Verdonk
6,201,499 B1	3/2001	Hawkes	6,331,825 B1	12/2001	Ladner
6,201,798 B1	3/2001	Campanella	6,333,922 B1	12/2001	Campanella
6,201,957 B1	3/2001	Son	6,342,854 B1	1/2002	Duffett-Smith
6,204,813 B1	3/2001	Wadell	6,343,205 B1	1/2002	Threadgill
6,205,328 B1	3/2001	Lantto et al.	6,345,181 B1	2/2002	Janhonen
6,211,907 B1	4/2001	Scaman	6,347,216 B1	2/2002	Marko
6,219,385 B1	4/2001	Weinberg	6,347,281 B1	2/2002	Litzsinger
6,219,556 B1	4/2001	Lee	6,348,744 B1	2/2002	Levesque
6,223,044 B1	4/2001	Schultz	6,351,641 B2	2/2002	Verkama
6,223,156 B1	4/2001	Goldberg et al.	6,353,738 B1	3/2002	Joshi
6,225,901 B1	5/2001	Kail, IV	6,353,739 B1	3/2002	Davis
6,226,522 B1	5/2001	Higuchi	6,353,781 B1	3/2002	Spivak
6,226,589 B1	5/2001	Maeda	6,360,102 B1	3/2002	Havinis et al.
6,226,622 B1	5/2001	Dabbriere	6,366,780 B1	4/2002	Obhan
6,230,097 B1	5/2001	Dance	6,371,416 B1	4/2002	Hawthorne
6,233,432 B1	5/2001	Inukai	6,374,169 B1	4/2002	Demay
6,233,463 B1	5/2001	Wiedeman	6,377,795 B1	4/2002	Bach
6,233,506 B1	5/2001	Obradovich	6,381,324 B1	4/2002	Shaffer
6,236,359 B1	5/2001	Watters	6,381,464 B1	4/2002	Vannucci
6,236,365 B1	5/2001	LeBlanc	6,385,312 B1	5/2002	Shaffer
6,236,858 B1	5/2001	Griffith	6,388,579 B1	5/2002	Adcox
			6,388,612 B1	5/2002	Neher
			6,388,617 B1	5/2002	Flood
			6,389,298 B1	5/2002	Abramovici
			6,393,046 B1	5/2002	Kohli

US 8,706,078 B2

Page 6

(56)

References Cited

U.S. PATENT DOCUMENTS

6,397,040	B1	5/2002	Titmuss	6,542,480	B1	4/2003	Campanella
6,397,133	B1	5/2002	van der Pol	6,542,716	B1	4/2003	Dent
6,400,314	B1	6/2002	Krasner	6,542,739	B1	4/2003	Garner
6,400,753	B1	6/2002	Kohli	6,542,795	B2	4/2003	Obradovich
6,400,943	B1	6/2002	Montoya	6,545,995	B1	4/2003	Kinnunen
6,401,032	B1	6/2002	Jamison	6,546,360	B1	4/2003	Gilbert
6,405,213	B1	6/2002	Layson	6,549,130	B1	4/2003	Joao
6,411,806	B1	6/2002	Garner	6,552,654	B1	4/2003	Gharb
6,418,319	B1	7/2002	Dent	6,553,009	B2	4/2003	Artzi
6,421,009	B2	7/2002	Suprunov	6,553,236	B1	4/2003	Dunko
6,421,609	B2	7/2002	Kohli	6,553,336	B1	4/2003	Johnson
6,424,831	B1	7/2002	Schiff	6,556,819	B2	4/2003	Irvin
6,424,840	B1	7/2002	Fitch	6,556,831	B1	4/2003	Buppelmann
6,430,496	B1	8/2002	Smith	6,556,981	B2	4/2003	Pedersen
6,434,381	B1	8/2002	Moore	6,559,620	B2	5/2003	Zhou
6,437,696	B1	8/2002	Lemelson	6,560,461	B1	5/2003	Fomukong
6,438,465	B2	8/2002	Obradovich	6,560,604	B1	5/2003	Fascenda
6,441,752	B1	8/2002	Fomukong	6,563,427	B2	5/2003	Bero
6,442,391	B1	8/2002	Johansson et al.	6,564,037	B1	5/2003	Sweatman
6,442,485	B2	8/2002	Evans	6,567,116	B1	5/2003	Aman
D462,284	S	9/2002	Womack	6,567,670	B1	5/2003	Petersson
6,448,895	B1	9/2002	Ekkel	6,570,975	B2	5/2003	Shaffer
6,448,925	B1	9/2002	Shridhara	6,571,168	B1	5/2003	Murphy
6,456,621	B1	9/2002	Wada	6,571,286	B2	5/2003	Fisher
6,456,840	B1	9/2002	Uda	6,574,558	B2	6/2003	Kohli
6,456,852	B2	9/2002	Bar et al.	6,577,271	B1	6/2003	Gronemeyer
6,462,671	B2	10/2002	Bushner	6,580,664	B2	6/2003	Magnusson
6,463,272	B1	10/2002	Wallace	6,584,312	B1	6/2003	Morin
6,463,288	B1	10/2002	Havinis	6,584,331	B2	6/2003	Ranta
6,466,569	B1	10/2002	Wright	6,587,046	B2	7/2003	Joao
6,466,612	B2	10/2002	Kohli	6,587,634	B2	7/2003	Maltz
6,466,788	B1	10/2002	Carlsson	6,590,525	B2	7/2003	Yule
6,472,076	B1	10/2002	Hacker	6,590,534	B1	7/2003	Kroll
6,473,031	B1	10/2002	Harris	6,591,112	B1	7/2003	Siccardo
6,476,763	B2	11/2002	Allen, Jr.	6,593,851	B1	7/2003	Bornstein
6,477,370	B1	11/2002	Sigler	6,594,043	B1	7/2003	Bloom
6,477,581	B1	11/2002	Carpenter	6,594,500	B2	7/2003	Bender
6,477,667	B1	11/2002	Levi	6,597,890	B1	7/2003	Sibecas
6,480,147	B2	11/2002	Durst	6,600,444	B2	7/2003	Desjardins
6,483,427	B1	11/2002	Werb	6,605,114	B1	8/2003	Yan
6,483,456	B2	11/2002	Huisken	6,606,349	B1	8/2003	Kudhrethaya
6,484,029	B2	11/2002	Hughes	6,606,556	B2	8/2003	Curatolo
6,484,035	B2	11/2002	Allen, Jr.	6,608,559	B1	8/2003	Lemelson
6,486,794	B1	11/2002	Calistro et al.	6,608,892	B2	8/2003	Shaffer
6,487,500	B2	11/2002	Lemelson	6,611,686	B1	8/2003	Smith
6,493,338	B1	12/2002	Preston	6,611,688	B1	8/2003	Raith
6,496,145	B2	12/2002	Gronemeyer	6,621,422	B2	9/2003	Rubenstein
6,496,702	B1	12/2002	Lockhart	6,624,609	B2	9/2003	Allen
6,498,565	B2	12/2002	Boulay	6,628,928	B1	9/2003	Crosby
6,501,491	B1	12/2002	Brown	6,628,944	B1	9/2003	Jeong
6,504,634	B1	1/2003	Chan	6,633,814	B2	10/2003	Kohli
6,505,100	B1	1/2003	Stuempfle	6,636,175	B2	10/2003	Russell
6,505,830	B2	1/2003	Kang	6,636,178	B2	10/2003	Gronemeyer
6,510,380	B1	1/2003	Curatolo	6,636,721	B2	10/2003	Threadgill
6,515,595	B1	2/2003	Obradovich	6,636,983	B1	10/2003	Levi
6,515,619	B1	2/2003	McKay, Jr.	6,643,516	B1	11/2003	Stewart
6,516,065	B1	2/2003	Joshi	6,647,257	B2	11/2003	Owensby
6,516,190	B1	2/2003	Linkola	6,654,362	B1	11/2003	Palamara
6,516,277	B2	2/2003	Edgecombe	6,657,549	B1	12/2003	Avery
6,518,889	B2	2/2003	Schlager	6,657,587	B1	12/2003	Mohan
6,519,463	B2	2/2003	Tendler	6,658,250	B1	12/2003	Ganesan
6,522,265	B1	2/2003	Hillman	6,658,585	B1	12/2003	Levi
6,522,682	B1	2/2003	Kohli	6,658,586	B1	12/2003	Levi
6,525,768	B2	2/2003	Obradovich	6,661,884	B2	12/2003	Shaffer
6,526,335	B1	2/2003	Treyz	6,664,893	B1	12/2003	Eveland
6,529,159	B1	3/2003	Fan	6,665,385	B2	12/2003	Rogers
6,529,165	B1	3/2003	Duffett-Smith	6,665,613	B2	12/2003	Duvall
6,529,731	B2	3/2003	Modzelesky	6,668,173	B2	12/2003	Greene
6,529,824	B1	3/2003	Obradovich	RE38,378	E	1/2004	Montague
6,531,982	B1	3/2003	White	6,678,341	B1	1/2004	Miyake
6,532,360	B1	3/2003	Shaffer	6,680,919	B1	1/2004	Rauhala
6,535,125	B2	3/2003	Trivett	6,681,121	B1	1/2004	Preston
6,539,230	B2	3/2003	Yen	6,690,681	B1	2/2004	Preston
6,542,076	B1	4/2003	Joao	6,693,953	B2	2/2004	Cox
6,542,077	B2	4/2003	Joao	6,694,136	B2	2/2004	Uda
				6,694,177	B2	2/2004	Eggers
				6,694,248	B2	2/2004	Edwards
				6,696,922	B1	2/2004	Wong
				6,700,534	B2	3/2004	Harris

US 8,706,078 B2

Page 7

(56)

References Cited

U.S. PATENT DOCUMENTS

6,701,144	B2	3/2004	Kirbas	6,891,811	B1	5/2005	Smith
6,703,936	B2	3/2004	Hill	6,903,681	B2	6/2005	Faris
6,704,543	B1	3/2004	Sharon	6,904,270	B1	6/2005	Chan
6,707,424	B1	3/2004	Snyder	6,915,208	B2	7/2005	Garin
6,707,487	B1	3/2004	Aman	6,917,644	B2	7/2005	Cahn
6,708,033	B1	3/2004	Linkola	6,920,124	B1	7/2005	Lappe
6,710,738	B2	3/2004	Allen, Jr.	6,920,322	B2	7/2005	Ikeda
6,711,408	B1	3/2004	Raith	6,922,616	B2	7/2005	Obradovich
6,711,474	B1	3/2004	Treyz	6,924,748	B2	8/2005	Obradovich et al.
6,711,500	B2	3/2004	Chen	6,928,468	B2	8/2005	Leermakers
6,714,158	B1	3/2004	Underbrink	6,931,055	B1	8/2005	Underbrink
6,714,759	B2	3/2004	Perry	6,931,232	B1	8/2005	Wolcott
6,716,101	B1	4/2004	Meadows	6,931,233	B1	8/2005	Tso
6,720,864	B1	4/2004	Wong	6,933,840	B2	8/2005	Cariffe
6,720,879	B2	4/2004	Edwards	6,933,846	B2	8/2005	Moldavsky
6,725,049	B1	4/2004	Williams	6,940,403	B2	9/2005	Kail
6,735,444	B2	5/2004	Wingren	6,941,129	B2	9/2005	Marce
6,747,961	B1	6/2004	Ahmed	6,943,703	B2	9/2005	Rubenstein
6,748,226	B1	6/2004	Wortham	6,947,398	B1	9/2005	Ahmed
6,750,818	B2	6/2004	Thomas	6,950,013	B2	9/2005	Scaman
6,751,442	B1	6/2004	Barrett	RE38,838	E	10/2005	Taylor
6,751,467	B1	6/2004	Cameron	6,952,181	B2	10/2005	Karr
6,753,782	B2	6/2004	Power	6,952,440	B1	10/2005	Underbrink
6,756,917	B2	6/2004	Gould	6,952,646	B2	10/2005	Chang
6,756,918	B2	6/2004	Fomukong	6,954,630	B2	10/2005	Offer
6,756,938	B2	6/2004	Zhao	6,956,467	B1	10/2005	Mercado
6,757,534	B2	6/2004	Bach	6,957,107	B2	10/2005	Rogers
6,760,364	B2	7/2004	Kohli	6,957,393	B2	10/2005	Fano
6,763,232	B1	7/2004	Odorfer	6,961,660	B2	11/2005	Underbrink
6,765,497	B2	7/2004	Ablay	6,965,297	B1	11/2005	Sandahl
6,768,909	B1	7/2004	Irvin	6,968,737	B2	11/2005	Chen
6,771,971	B2	8/2004	Smith	6,980,636	B2	12/2005	Fleischer
6,778,136	B2	8/2004	Gronemeyer	6,980,813	B2	12/2005	Mohi
6,782,253	B1	8/2004	Shteyn	6,983,146	B2	1/2006	Spratt
RE38,600	E	9/2004	Mankovitz	6,985,742	B1	1/2006	Giniger
6,788,655	B1	9/2004	Underbrink	6,985,746	B2	1/2006	Gorsuch
6,788,735	B2	9/2004	Kohli	6,992,582	B2	1/2006	Hill
6,799,094	B1	9/2004	Vaida	6,992,583	B2	1/2006	Muramatsu
6,801,137	B2	10/2004	Eggers	6,998,959	B2	2/2006	Lund
6,806,814	B1	10/2004	Iverson	6,999,716	B1	2/2006	Andre
6,807,158	B2	10/2004	Krishnamurthy	6,999,779	B1	2/2006	Hashimoto
6,809,659	B2	10/2004	Flick	7,000,116	B2	2/2006	Bates
6,812,824	B1	11/2004	Goldinger	7,002,468	B2	2/2006	Eveland
6,813,487	B1	11/2004	Trommelen	7,002,516	B2	2/2006	Gronemeyer
6,813,498	B1	11/2004	Durga	7,003,278	B2	2/2006	Beni
6,819,919	B1	11/2004	Tanaka	7,003,322	B2	2/2006	Judd
6,826,460	B2	11/2004	Kittell	7,006,835	B2	2/2006	Otsuka
6,828,908	B2	12/2004	Clark	7,009,555	B2	3/2006	Tsujimoto
6,828,936	B2	12/2004	Odashima	7,010,308	B2	3/2006	Hendrey
6,829,221	B1	12/2004	Winckles	7,020,103	B1	3/2006	Refai
6,833,787	B1	12/2004	Levi	7,020,104	B2	3/2006	Bay
6,834,164	B1	12/2004	Chan	7,020,217	B1	3/2006	Parsons
6,836,658	B1	12/2004	Sharon	7,024,205	B1	4/2006	Hose
6,839,542	B2	1/2005	Sibecas	7,024,211	B1	4/2006	Martin
6,844,845	B1	1/2005	Whiteside	7,024,331	B2	4/2006	Jones
6,847,822	B1	1/2005	Dennison	7,026,957	B2	4/2006	Rubenstein
6,847,892	B2	1/2005	Zhou	7,027,773	B1	4/2006	McMillin
6,850,497	B1	2/2005	Sigler	7,027,815	B2	4/2006	Sendonaris
6,850,600	B1	2/2005	Boeckman	7,031,272	B2	4/2006	Campanella
6,853,711	B2	2/2005	Brisebois	7,031,655	B2	4/2006	Nomura
6,853,849	B1	2/2005	Tognazini	7,031,711	B2	4/2006	Soliman
6,856,945	B2	2/2005	Thomas	7,031,945	B1	4/2006	Donner
6,859,134	B1	2/2005	Heiman	7,039,424	B2	5/2006	Gorsuch
6,859,171	B2	2/2005	Durst	7,040,538	B2	5/2006	Patel
6,859,172	B2	2/2005	Powers	7,043,204	B2	5/2006	Reagor
6,859,687	B2	2/2005	Obradovich	7,043,241	B1	5/2006	Sladek
6,868,270	B2	3/2005	Dent	7,043,270	B2	5/2006	Judd
6,868,386	B1	3/2005	Henderson	7,046,120	B2	5/2006	Lund
6,871,215	B2	3/2005	Smith	7,047,024	B2	5/2006	Shintai
6,876,853	B2	4/2005	Hokkanen	7,049,981	B2	5/2006	Behr
6,882,837	B2	4/2005	Fernandez	7,050,818	B2	5/2006	Tendler
6,885,846	B1	4/2005	Panasik	7,053,824	B2	5/2006	Abraham
6,886,060	B2	4/2005	Wang	7,054,432	B2	5/2006	Sabinson
6,888,811	B2	5/2005	Eaton	7,061,385	B2	6/2006	Fong
6,889,135	B2	5/2005	Curatolo	7,062,279	B2	6/2006	Cedervall
				7,062,286	B2	6/2006	Grivas
				7,062,362	B2	6/2006	Obradovich
				7,062,778	B1	6/2006	Patterson
				7,065,886	B2	6/2006	Segur

US 8,706,078 B2

Page 8

(56)

References Cited

U.S. PATENT DOCUMENTS

7,068,994 B2 6/2006 Van Camp
 7,069,018 B1 6/2006 Granstam
 7,069,026 B2 6/2006 McClure
 7,069,319 B2 6/2006 Zellner
 7,076,257 B2 7/2006 Kall
 7,079,551 B2 7/2006 Shivanan
 7,080,402 B2 7/2006 Bates
 7,085,555 B2 8/2006 Zellner
 7,091,882 B2 8/2006 Doyle
 7,092,367 B2 8/2006 Kawai
 7,092,704 B2 8/2006 Hosono
 7,104,851 B1 9/2006 Gonring
 7,106,211 B2 9/2006 Duvall
 7,107,038 B2 9/2006 Fitch
 7,110,401 B2 9/2006 Wada
 7,110,749 B2 9/2006 Zellner
 7,110,772 B1 9/2006 Wu
 7,110,773 B1 9/2006 Wallace
 7,113,126 B2 9/2006 Durst
 7,113,493 B1 9/2006 Bush
 7,113,797 B2 9/2006 Kelley
 7,113,864 B2 9/2006 Smith
 7,116,704 B2 10/2006 Norman
 7,116,911 B2 10/2006 Bloom
 7,116,977 B1 10/2006 Moton
 7,120,449 B1 10/2006 Muhonen
 7,120,921 B1 10/2006 Ito
 7,127,264 B2 10/2006 Hronek
 7,130,290 B2 10/2006 Wada
 7,130,396 B2 10/2006 Rogers
 7,130,584 B2 10/2006 Hirvonen
 7,130,630 B1 10/2006 Enzmann
 7,133,685 B2 11/2006 Hose
 7,136,473 B2 11/2006 Gruchala
 7,136,474 B2 11/2006 Shaffer
 7,139,557 B2 11/2006 Tang
 7,139,582 B2 11/2006 Couronne
 7,148,802 B2 12/2006 Abbruscato
 7,151,768 B2 12/2006 Preston
 7,155,340 B2 12/2006 Churan
 7,161,622 B1 1/2007 Oinoue
 7,162,199 B1 1/2007 Glickstein
 7,162,454 B1 1/2007 Donner
 7,167,454 B2 1/2007 Caldwell
 7,167,553 B2 1/2007 Shaffer
 7,170,445 B2 1/2007 Thiel
 7,170,518 B1 1/2007 Millington
 7,171,187 B2 1/2007 Haave
 7,171,221 B1 1/2007 Amin
 7,180,427 B2 2/2007 Meyer
 7,180,873 B1 2/2007 Monte
 7,181,160 B2 2/2007 Barrett
 7,181,225 B1 2/2007 Moton, Jr.
 7,181,228 B2 2/2007 Boesch
 RE39,526 E 3/2007 Hull
 7,196,621 B2 3/2007 Kochis
 7,199,726 B2 4/2007 Fomukong
 7,200,183 B2 4/2007 Olson
 7,200,387 B1 4/2007 Ephraim
 7,203,300 B2 4/2007 Shaffer
 7,203,302 B2 4/2007 Sabinson
 7,203,665 B2 4/2007 Donner
 7,203,752 B2 4/2007 Rice
 7,206,305 B2 4/2007 Preston
 7,206,849 B1 4/2007 Gernert
 7,236,797 B2 6/2007 Kimoto et al.
 7,277,714 B1 10/2007 Mikan et al.
 7,643,834 B2 1/2010 Ioppe et al.
 7,970,415 B2 6/2011 Mikan et al.
 8,023,958 B2 9/2011 Wang et al.
 8,032,153 B2 10/2011 Dupray et al.
 2001/0001763 A1 5/2001 Ito
 2003/0101225 A1 5/2003 Han et al.
 2006/0025158 A1 2/2006 Leblanc et al.

2006/0276201 A1 * 12/2006 Dupray 455/456.1
 2009/0098857 A1 4/2009 De Atley
 2011/0244887 A1 10/2011 Dupray et al.

FOREIGN PATENT DOCUMENTS

CA 1046669 1/1979
 CA 1087251 10/1980
 CA 1172847 8/1984
 CA 122693 9/1987
 CA 1277400 12/1990
 DE 918726 10/1954
 DE 14621 83 9/1969
 DE 2105441 8/1971
 DE 2157821 5/1973
 DE 2706266 8/1977
 DE 2715956 10/1978
 DE 2840136 3/1980
 DE 3013950 10/1981
 DE 3128578 2/1983
 DE 3142978 5/1983
 DE 3227547 2/1984
 DE 3322436 1/1985
 DE 3329267 2/1985
 DE 34191 56 11/1985
 DE 3513698 10/1986
 DE 3516357 11/1986
 DE 3621 990 1/1987
 DE 3528886 2/1987
 DE 3716329 12/1988
 DE 3932029 6/1990
 DE 40021 76 8/1990
 DE 0201126 10/2002
 EP 0748080 12/1996
 EP 0782362 7/1997
 EP 0813072 12/1997
 FR 21 85906 1/1974
 FR 2248517 5/1975
 FR 2268407 11/1975
 FR 2341986 9/1977
 FR 2347836 11/1977
 FR 246081 3 1/1981
 FR 248761 0 1/1982
 FR 2541 020 8/1984
 FR 2541801 8/1984
 FR 255461 8 5/1985
 FR 2596902 10/1987
 GB 292182 6/1928
 GB 553671 6/1943
 GB 786041 11/1957
 GB 1287304 8/1972
 GB 1425894 2/1976
 GB 1524946 9/1978
 GB 1543910 4/1979
 GB 2016770 9/1979
 GB 2034995 6/1980
 GB 2050767 1/1981
 GB 1594931 8/1981
 GB 2094089 9/1982
 GB 2095516 9/1982
 GB 2110851 6/1983
 GB 2116807 9/1983
 GB 2118000 10/1983
 GB 2118002 10/1983
 GB 2120507 11/1983
 GB 2127643 4/1984
 GB 2142143 1/1985
 GB 2144565 3/1985
 GB 2149616 6/1985
 GB 2157131 10/1985
 GB 2165127 4/1986
 GB 2172775 9/1986
 GB 2176639 12/1986
 GB 21 76970 1/1987
 GB 2180425 3/1987
 GB 2183966 6/1987
 GB 2191054 12/1987
 GB 2193861 2/1988
 GB 2207787 2/1989

US 8,706,078 B2

Page 9

(56)

References Cited

FOREIGN PATENT DOCUMENTS

GB	2208985	4/1989
GB	2214739	9/1989
GB	2222340	2/1990
GB	2232553	12/1990
JP	3120995	5/1991
JP	5083189	4/1993
JP	6165246	6/1994
JP	6189359	7/1994
JP	6205116	7/1994
JP	7250132	9/1995
JP	8205229	8/1996
JP	9147291	6/1997
KR	19940004996	3/1994
KR	19960020082	6/1996
KR	1997001869	1/1997
KR	19970055833	7/1997
KR	19970055847	7/1997
WO	8001030	5/1980
WO	8112961	10/1981
WO	8201268	4/1982
WO	8806830	9/1988
WO	8904031	5/1989
WO	8912835	12/1989
WO	9013186	11/1990
WO	91 00658	1/1991
WO	9100660	1/1991
WO	91 07037	5/1991
WO	9107020	5/1991
WO	9107030	5/1991
WO	9107036	5/1991
WO	9108621	6/1991
WO	9305490	3/1993
WO	WO9621332	7/1996
WO	WO9625826	8/1996
WO	WO98/00968	1/1998
WO	WO98/00988	1/1998
WO	WO9800988	1/1998
WO	WO9808314	2/1998
WO	WO9836603	8/1998
WO	01/31965	5/2001
WO	02/17567	2/2002

OTHER PUBLICATIONS

William G Toperzer; An Advanced Driver Information System Concept and Its Communications Considerations; Toperzer—An Advanced Driver Information.pdf; Position Location and Navigation Symposium, 1990. Record. apos;The 1990apos;s—A Decade of Excellence in the Navigation Sciencesapos;. IEEE Plans apos;90., IEEE, Volume , Issue , Mar. 20-23, 1990 pp. 364-369.

CJ Driscoll and Associates; Survey of Location Technologies to Support Mobile 9-1-1; Driscoll—Survey of Location Technologies. pdf; Survey Conducted for State of California Department of General Services Telecommunications Division, Sacramento, California and for the Association of Public Safety Communications Officials (APCO) July, 1994.

Office of Technology Assessment, U.S Congress; Wireless Technologies and the National Information Infrastructure; Wireless Technologies National Info Infrastructure.pdfOTA-ITC-622 GPO stock #052-003-01421—Sep. 1, 1995.

Boren, Jr., Bryant C., Defendants' Amended Invalidity Contentions, United States District Court Central District of California pleading, Jun. 25, 2012, pp. 1-167.

European Telecommunication Standard Institute, Service Requirements for a Mobile Location Service, Liaison Statement, Mar. 10-14, 1997, 4 pages, Madrid, Spain.

Ericsson, Meeting Summary prepared by Ericsson for T1P1.5, Mar. 10-15, 1997, 38 pages, Madrid, Spain.

Zelmer, Don, Response to SMG10 WB B's Liaison Statement on LCS, Apr. 30, 1999, 1 page.

Zelmer, Don, Liaison Statement from T1P1.5 to SMG1, LCS, Apr. 30, 1999, 3 pages.

Kingdon, Christopher, et al., Location Services and Architecture Proposal, GSM 02.xx Version 0.0.0., Ericsson, Apr. 1997, pp. 1-16.

Ehrlich, Ed, Location Services in GSM '98 to Mr. A. Cox, May 30, 1997, 1 page.

Motorola, Inc., Enhanced CAMEL Architecture for Emergency Calls and Location Service Support, Jun. 1997, 19 pages.

Kingdon, Christopher, et al., Location Services and Architecture Proposal (LCS); Service Description Stage 1 (GSM 02.xx) Version 0.0.1, Ericsson, Jul. 1997, pp. 1-18.

European Telecommunication Standard Institute, Digital cellular telecommunications system (Phase 2 +); Location Services (LCS); Service Description, Stage 1 (GSM 02.xx) Version 0.1.0, GSM Technical Specification, Jul. 1997, 20 pages, Valbonne, France.

European Telecommunication Standard Institute, Digital cellular telecommunications system (Phase 2 +); Location Services (LCS); Service Description, Stage 1 (GSM 02.xx) Version 0.1.1, GSM Technical Specification, Oct. 1997, pp. 3-19, Valbonne, France.

Wang, Hugh, Cr against GSM 02.07 version 7.0.0, Digital cellular telecommunications system (Phase 2+); Mobile Stations (MS) Features (GSM 02.07 version 7.0.0 Release 1998), ETSI, Jul. 27, 1999, 26 pages, Valbonne, France.

Hasting, John, Recommended GPS Changes to Contribution 187R3, Aug. 6, 1999, 35 pages.

T1P1.5 PCS 1900 Working Group, Meeting Summary, Sep. 13-16, 1999, 4 pages, King of Prussia, Pennsylvania.

Kingdon, Christopher, Comments on LCS Stage 1, Oct. 6, 1997, 2 pages.

Roel-Ng, Maya, Functional Model fro GSM Location Services, Oct. 6, 1997, 3 pages.

Hayes, Stephen, Stage 2 Flows Associated with the Position Determination Function, Oct. 6, 1997, pp. 1-2.

Kingdon, Christopher, Stage 2 Flows for Network Based PDCF, Oct. 6, 1997, pp. 1-3.

T1P1 Location Services Subworking Group, Meeting Report, Oct. 7-8, 1997, 8 pages, Long Branch, New Jersey.

T1P1.5 PCS 1900 Working Group, Meeting Summary, Oct. 6-8, 1997, 1-12 pages, Long Branch, New Jersey.

GSM NA Data/API Sub Group, Stage 0 Requirements for PCS1900 Value Added Data Services, CP(97)004, Version 1.1, Oct. 9, 1997, pp. 1-20.

CELLNET/MCI, Location Determination Methodology, Oct. 6, 2010, 7 pages.

Doshi, Sonia, Comments on Location Services (LCS) Stage 1 Service Description, Oct. 1997, 2 pages.

Woinsky, Mel, Proposed Liaison to TIA on LCS, Oct. 8, 1997, 1 page.

Ehrlich, Ed, Proposed Liaison on LCS, Oct. 8, 1997, 1 page.

Ehrlich, Ed, Proposed Liaison to GSM-NA on LCS, Oct. 8, 1997, 1 page.

Motorola, Inc., Enhanced GSM Network Architecture for Location Services Support with Camel Compatibility, Dec. 1, 1997, pp. 1-23.

Hayes, Stephen, Stage 2 Flows Associated with the Position Determination Function, Dec. 1, 1997, pp. 1-2.

Kingdon, Christopher, et al., Stage 2 Flows for Network Based PDCF, Dec. 1, 1997, pp. 1-15.

Hayes, Stephen, et al., Comments on LCS Stage 0, Dec. 1, 1997, pp. 1-3.

Hayes, Stephen, Comments on LCS Stage 1, Dec. 1, 1997, 30 pages.

Hayes, Stephen, et al., Network Architecture for GSM Location Services, Dec. 1, 1997, pp. 1-17.

Lundqvist, Patrik, et al., Proposed Positioning Measurement Method, Dec. 2, 1997, 9 pages.

European Telecommunications Standards Institute, Location Services Stage 2 Functional Description Proposal, Dec. 2, 1997, pp. 1-13, San Ramon, California.

T1P1 Location Services Subworking Group, Meeting Summary, Dec. 2-3, 1997, 13 pages, San Ramon, California.

Ehrlich, Ed, Proposed Liaison to GSM-NA on LCS, Dec. 2-3, 1997, 1 page.

T1P1.5 Pcs 1900 Working Group, Meeting Summary, Dec. 1-4, 1997, 14 pages, San Ramon, California.

Harter, Andy, et al., A Distributed Location System for the Active Office, Nov. 1993, pp. 1-17, United Kingdom.

US 8,706,078 B2

Page 10

(56)

References Cited

OTHER PUBLICATIONS

Committee T1 Contribution T1P1/97-169 T1P1.2/97-084R1, Proposed ITU-T SG2 Question 13 Contribution on IMT-2000 Service Features Document (F.SFEA) to Align with US Service Needs, Oct. 6-9, 1997, 3 pages, Long Branch, New Jersey.

Weiser, Mark, Some Computer Science Issues in Ubiquitous Computing, Real World—Communications of the ACM, Jul. 1999, pp. 74-84, vol. 36, No. 7, Association for Computing Machinery.

Siemens Stromberg-Carlson, Realization of PCS 1900 Deltas, May 27, 1997, 6 pages.

European Telecommunication Standard, Digital Enhanced Cordless Telecommunications (DECT); Global System for Mobile Communications (GSM); Integrated Services Digital Network (ISDN); DECT Access to GSM via ISDN; General Description of Service Requirements, ETSI, Apr. 1997, 16 pages, Final Draft, Valbonne, France.

European Telecommunication Standard, Digital Cellular Telecommunication System (Phase 2+); Customised Applications for Mobile Network Enhanced Logic (CAMEL); Service Definition—Stage 1 (GSM 02.78 version 5.4.0), GSM Technical Specification, Jan. 1998, 30 pages, GSM 02.78 Version 5.4.0, ETSI, Valbonne, France.

European Telecommunication Standard, Digital Cellular Telecommunication System (Phase 2+); Multiple Subscriber Profile (MSP); Service Definition—Stage 1 (GSM 02.79), GSM Technical Specification, Jul. 1996, 13 pages, GSM 02.79 Version 5.0.0, ETSI, Valbonne, France.

European Telecommunication Standard, Digital Cellular Telecommunication System; Location Registration Procedures (GSM 03.12), GSM Technical Specification, Nov. 1996, 11 pages, GSM 03.12 Version 5.0.0, ETSI, Valbonne, France.

European Telecommunication Standard, Digital Cellular Telecommunication System (Phase 2+); Interworking Between a Public Land Mobile Network (PLMN) and a Packet Switched Public Data Network/Integrated Services Digital Network (PSPDN/ISDN) for the Support of Packet Switched Data Transmission Services (GSM 09.06), GSM Technical Specification, Jul. 1996, 23 pages, GSM 09.06 Version 5.0.0, ETSI, Valbonne, France.

Lin et al., Comparing the PCS Location Tracking Strategies, IEEE Transactions on Vehicular Technology, vol. 45, No. 1, Feb. 1996, pp. 144-121.

Lin, Determining the User Locations for Personal Communications Service Networks, IEEE Transactions on Vehicular Technology, vol. 43, No. 3, Aug. 1994, pp. 466-473.

Akyildiz et al., Dynamic Mobile User Location Update for Wireless PCS Networks, article, Wireless Networks 1 (1995), pp. 187-196.

Scapinakis et al., Studies of the Adoption and Use of Location and Communication Technologies by the Trucking Industry, California Partners for Advanced Transit and Highway (PATH), Published Jan. 1, 1991, pp. 1-19.

European Telecommunication Standard Institute, General on Supplementary Services, Release Note, Released by ETSI PT12, GSM 02.04-version 3.7.1, Feb. 1992, 21 pages.

European Telecommunication Standard Institute, Digital cellular Telecommunications System (Phase 2); Line Identification Supplementary Services—Stage 1, Second Edition, May 1996, 20 pages.

European Telecommunication Standard Institute, Digital cellular Telecommunications System (Phase 2+); Discontinuous Reception (DRX) in the GSM System, GSM Technical Specification, Version 5.0.0, Mar. 1996, 10 pages.

European Telecommunication Standard Institute, Digital cellular Telecommunications System (Phase 2+); Customized Applications for Mobile Network Enhanced Logic (CAMEL)—Stage 2 (GSM 03.78), 1997, 85 pages.

European Telecommunication Standard Institute, European Digital cellular Telecommunications System (Phase 1) Mobile Radio Interface layer 3 Specification, Release Note, Released by ETSI/PT 12, Feb. 1992, 453 pages.

European Telecommunication Standard Institute, Digital cellular Telecommunications System (Phase 2); Mobile Radio Interface Layer 3 Specification, Eighth Edition, Apr. 1997, 468 pages.

European Telecommunication Standard Institute, Mobile Radio Interface Layer 3 Specification General Aspects, Release Note, Released by ETSI/PT 12, Feb. 1992, 26 pages.

European Telecommunication Standard Institute, Digital cellular Telecommunications System (Phase 2+); Customized Applications for Mobile Network Enhanced Logic (CAMEL); CAMEL Application Part (CAP) Specification; GSM 09.78 version 5.1.0, 1997, 218 pages.

Mouly et al., The GSM System for Mobile Communications, A Comprehensive Overview of the European Digital Cellular System, book published by Palaiseau : Cell & Sys, cop. 1992.

Mehrotra, GSM System Engineering (Artech House Mobile Communications Series), Apr. 1997.

European Telecommunication Standard Institute, Digital Cellular Telecommunications System (Phase 2+); Mobile Radio Interface Layer 3 Specification, GSM 04.08 Version 5.3.0, Jul. 1996.

Ananasso et al., Architecture and Network Issues in Satellite Systems for Personal Communications, International Journal of Satellite Communications, vol. 12, 33-44, Revised Nov. 12, 1993, 12 pages.

Bartko, Perceived Issues Associated with Military Use of Satellite Based Personal Communications Systems, IEEE 1995, 5 pages.

Telecommunications Industry Association, Mobile Station-Base Station Compatibility Standard for Dual-mode Wideband Spread Spectrum Cellular System, book Published 1993 by Telecommunications Industry Association . . . In association with the Electronic Industry Association, Reproduced by Global Engineering Documents in Washington, D. C., 118 pages.

Leonhardt et al., Location Service in Mobile Computing Environments, Computer & Graphics, vol. 20, No. 5, pp. 627-632, 1996.

Rose, Minimizing the Average Cost of Paging and Registration: A Timer-Based Method, Wireless Networks 2 (1996), pp. 109-116.

Bar-Noy et al., Mobile Users: to Update or Not to Update?, Wireless Networks 1 (1995), Received Nov. 1994, pp. 175-185.

Lin, Mobility Management for Cellular Telephony Networks, IEEE winter 1996, pp. 65-73.

Navigation Dictionary, Second Edition, H.O. Pub. No. 220, Published by the U.S. naval Oceanographic Office under the authority of the Secretary of the Navy, Washington 1969.

Akyildiz et al., on Location Management for Personal Communications Networks, IEEE Communications Magazine, Sep. 1996, pp. 138-145.

Segal, On the Road, Not Out of Touch, Satellite Communications, Aug. 1996, pp. 39, 40 and 48.

Cosper, Pulling Out All the Stops Over the Long Haul, Satellite Communications, Aug. 1996, pp. 22, 23 and 25.

Want et al., An Overview of the ParcTab Ubiquitous Computing Experiment, IEEE Personal Communications, Dec. 1995, pp. 28-43.

Spreitzer et al., Providing Location Information in a Ubiquitous Computing Environment, 1993, pp. 270-283.

Schilit et al., The ParcTab Mobile Computing System, Palo Alto Research Center, Xerox Corporation, Proceedings Forth Workshop on Workstation Operating Systems, IEEE WWOS-IV, Oct. 1993, pp. 1-4.

Redl et al., An Introduction to GSM (Artech House Mobile Communication Series), book, published Feb. 1995, 22 total pages.

Mouly et al., The GSM System for Mobile Communications, book, published by Cell & Sys. in 1992.

Nanda et al., Third Generation Wireless Information Networks, Kluwer Academic Publishers in 1992.

Kaplan, Understanding GPS Principles and Applications, Mobile Communications Series, book, published by Artech House, Inc. in 1996.

Feuerstein et al., Wireless Personal Communications, book, published by Kluwer Academic Publishers in 1993 with a second printing in 1995.

Benantar et al., Access Control Systems: From Host-Centric to Network Centric Computing, IBM Systems Journal, vol. 35, No. 1, 1996, pp. 94-112.

French et al., A Comparison of IVHS Progress in the United States, Europe, and Japan, prepared by R.L. French & Associates, Approval Draft Issued Feb. 18, 1994, 216 pages.

US 8,706,078 B2

Page 11

(56)

References Cited

OTHER PUBLICATIONS

French et al., The Evolving Roles of Vehicular Navigation, Navigation: Journal of the Institute of Navigation, vol. 34, No. 3, Fall of 1987, printed in USA, 17 pages.

Commissioner Chong, Revision of the Commission's Rules to Ensure Compatibility with Enhanced 911 Emergency Calling Systems, Before the Federal Communications Commission in Washington D.C., Report and Order and Further Notice of Proposed Rulemaking, Released Jul. 26, 1996, 98 pages.

By the Commission, Before the Federal Communications Commission, in the Matter of: Revision of the Commission's Rules to Ensure Compatibility with Enhanced 911 Emergency Calling Systems, Released Oct. 19, 1994, 53 pages.

Advisory Circular, Airworthiness Approval of Navigation or Flight Management Systems Integration Multiple Navigation Sensors, U.S. Department of Transportation, Federal Aviation Administration, Jun. 14, 1995, 50 total pages.

Advisory Circular, Airworthiness Approval of Navigation or Global Positioning System (GPS) Navigation Equipment for Use as a VFR and IFR Supplemental Navigation System, U.S. Department of Transportation, Federal Aviation Administration, May 25, 1994, 33 pages.

Advisory Circular, Airworthiness Approval of OMEGA/VLF Navigation Systems for Use in the U.S. National Airspace System (NAS) and Alaska, U.S. Department of Transportation, Federal Aviation Administration, Sep. 12, 1988, 30 pages.

FAA Historical Chronology, 1926-1996, 303 total pages.

Proposed EIA/TIA Wideband Spread Spectrum Standard, Appendix A Requirements for CDMA Service Options, May 7, 1992, 67 pages.

Proposed EIA/TIA Wideband Spread Spectrum Standard, Appendix B CDMA Call Flow Examples, May 7, 1992, 8 pages.

Proposed EIA/TIA Wideband Spread Spectrum Standard, Appendix C CDMA System Layering, May 7, 1992, 2 pages.

Proposed EIA/TIA Wideband Spread Spectrum Standard, Appendix D CDMA Constants, May 7, 1992, 4 pages.

Proposed EIA/TIA Wideband Spread Spectrum Standard, Appendix E CDMA Retrievable and Settable Parameters, May 7, 1992, 3 pages.

Proposed EIA/TIA Wideband Spread Spectrum Standard, Appendix F Mobile Station database, May 7, 1992, 6 pages.

Proposed EIA/TIA Wideband Spread Spectrum Standard, 1 General, 1.1 Terms and Numeric Information, May 7, 1992, 48 pages.

Defendant Nextel; Nextel of California, Inc., et al.'s Memorandum of Points and Authorities in Support of Motion for Summary Judgment of Unenforceability and Invalidity Under 35 U.S.C. §102(f) for Incorrect Inventorship; 1332MemoinsupportofDefMSJforinvalidityinventorship102f.pdf;

United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx), Dec. 28, 2007.

Plaintiff Enovsys; Plaintiff Enovsys' Memorandum of Points and Authorities in Opposition to Defendants Motion for Summary Judgment of Unenforceability and Invalidity Under 35 U.S.C. §102(f); 206-P'soppttoMSJofunenforce&invalid102f.pdf; United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx), Filed Jan. 23, 2008.

Plaintiff Enovsys; Declaration of Mundi Fomukong in Opposition to Defendants Motion for Summary Judgment of Unenforceability and Invalidity Under 35 U.S.C. §102(f) for Incorrect Inventorship; 208-FomukongdeclinoppttoMSJunenforce&invalid102f.pdf; United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx), Filed Jan. 23, 2008.

Plaintiff Enovsys; Declaration of Denzil Chesney in Opposition to Defendants Motion for Summary Judgment of Unenforceability and Invalidity Under 35 U.S.C. §102(f) for Incorrect Inventorship; 209-ChesneydeclinoppttoMSJunenforce&invalid102f.pdf United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx), Filed Jan. 23, 2008.

Defendant Nextel; Nextel of California, Inc., et al.'s Reply Brief in Support of Motion for Summary Judgment of Unenforceability and Invalidity Under 35 U.S.C. §102(f) for Incorrect Inventorship; 224-

1NextelCAreplyMSJincorrectinventor102f.pdf; United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx), Jan. 30, 2008.

United States District Court Central District of California; Court Order for Defendant/Counterclaimant Nextel of California, Inc., et al.'s Motion for Summary Judgment of Unenforceability and Invalidity Under 35 U.S.C. §102(f) for Incorrect Inventorship; 260-OrderDefMSJInvalidityunenforce102f.pdf; United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx), Feb. 26, 2008.

Defendant Nextel; Nextel of California, Inc., et al.'s Memorandum of Points and Authorities in Support of Motion for Summary Judgment of Invalidity Under 35 U.S.C. §§102 and 103; 138-2Defsmotionforinvalidityunder102and103.pdf United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx), Filed Dec. 28, 2007.

Plaintiff Enovsys; Plaintiff Enovsys' Memorandum of Points and Authorities in Opposition To Defendants Motion for Summary Judgment of Invalidity Under Section 102 and 103; 199-P'soppttoMSJifinvaliditysect102&103.pdf United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx), filed Jan. 23, 2008.

Plaintiff Enovsys; Declaration of Christopher Rose, PHD in Opposition to Defendants Motion for Summary Judgment of Invalidity Under Section 102 and 103; 201-IRoseDeclinoppttoMSJofinvalidity102&103.pdf United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx), Filed Jan. 23, 2008.

Defendant Nextel; Nextel of California, Inc., et al.'s Reply Brief in Support of Motion for Summary Judgment of Invalidity Under 35 U.S.C. §§102 and 103; 227-NextelCAreplyMSJinvalidity102&103.pdf United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx), filed Jan. 30, 2008.

Defendant Nextel; Nextel of California, Inc., et al.'s Supplemental Briefing in Support of Summary Judgment Motions and Opposition; 268-Nextelsuppmemoresumjudg102&103.pdf United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx), filed Mar. 13, 2008.

Plaintiff Enovsys; Plaintiff Enovsys' Supplemental Memorandum of Points and Authorities Re Pending Summary Judgement Motions; 269-PlaintiffsuppmemoreMSJs.pdf United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx), filed March 13, 2008. Plaintiff Enovsys; Plaintiff Enovsys' Notice of Motion and Motion for Partial Summary.

Plaintiff Enovsys; Plaintiff Enovsys' Notice Of Motion and Motion For Partial Summary Judgement on Defendant's Affirmative Defense and Counterclaim That the Patents-In-Suit Are Invalid Under Section 102; 146-P'sMSJre102.pdf United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx), filed Dec. 28, 2007.

Defendant Nextel; Nextel of California, Inc., Et Al.'s Memorandum of Points and Authorities in Opposition to Enovsys' Motion for Partial Summary Judgment Re Invalidity Under Section 102; 197-NexteloppartialMSkeinvaliditysect102.pdf United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx), filed Jan. 23, 2008.

Plaintiff Enovsys; Reply Brief in Support of Plaintiff Enovsys' Motion for Partial Summary Judgement on Defendant's Affirmative Defense and Counterclaim That the Patents-In-Suit Are Invalid Under Section 102; 230-P'sreplypartialMSJ.pdf United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx), filed Jan. 30, 2008.

United States District Court Central District of California; Court Order on Motion for Summary Judgment of Invalidity under 35 USC 102 and 103; 286-orderresummaryjudgments.pdf United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx), filed Mar. 20, 2008.

Plaintiff Enovsys; Plaintiff Enovsys'[Corrected] Opening Claim Construction Brief 152correctclaimconstructionbrief.pdf; United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx), filed Dec. 29, 2007.

Plaintiff Enovsys; Exhibit 3 to Declaration of Jeff Eichmann in Support of Plaintiff Enovsys' Opening Claim Construction Brief; 137-

US 8,706,078 B2

Page 12

(56)

References Cited

OTHER PUBLICATIONS

- 4(Exhibit3toClaimconstructionbrief).pdf; United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx), filed Dec. 28, 2007.
- Defendant Nextel; Nextel of California, Inc., et al.'s Brief in Support of Defendants Proposed Claim Construction 195-1Nextelproposedclaimconstruction.pdf; United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx), filed Jan. 23, 2008.
- Plaintiff Enovsys; Plaintiff Enovsys'Reply Claim Construction Brief; 228-P'sreplyreclaimconstruction.pdf; United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx), filed Jan. 30, 2008.
- Defendant Nextel; Nextel of California, Inc., et al.'s Sur-Reply in Support of Defendants Proposed Claim Construction 238-1Nextelsurreplyreclmconst.pdf; United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx), filed Feb. 6, 2008.
- United States District Court Central District of California; Court Order on Claim Construction 261-ClaimConstorder.pdf United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx), filed Feb. 26, 2008.
- Defendants AT&T Mobility LLC and AT&T Mobility II LLC (collectively, "Defendants"); Invalidity Contentions; served on Jun. 25, 2012 along with Appendices A-O and Exhibits 1-22; United States District Court Central District of California; Case No. 11-CV-05210-DDP (AGRx).
- Kesdogan et al., Secure Location Information Management in Cellular Radio Systems, Proceedings of the 1995 IEEE Wireless Communication System Symposium, Nov. 27 and 28, 1995, pp. 1-7.
- Leonhardt et al., Security Considerations for a Distributed Location Service, Department of Computing, Imperial College, Mar. 21, 1997, pp. 1-8.
- Theimer et al., Personal Privacy for Mobile Users in Distributed Computing Environments that Support Location Sensitive Applications, initial application filing for U.S. Appl. No. 08/162,522, filed Dec. 3, 1993, pp. 1-129.
- Carter et al., Using Cellular Telephones for Automatic Vehicle Tracking, Paper No. 28 presented at Land Navigation and Location for Mobile Applications, Sep. 9-11, 1985, pp. 1-10.
- Spreitzer et al., Providing Location Information in a Ubiquitous Computing Environment, Xerox Palo Alto Research Center, Dec. 1993, pp. 1-14.
- Jacobs et al., The Application of a Novel Two-Way Mobile Satellite Communications and Vehicle Tracking System to the Transportation Industry, IEEE Transactions on Vehicular Technology, vol. 40, No. 1, Feb. 1991, pp. 57-63.
- Jurgen, Smart Cars and Highways Go Global, IEEE Spectrum article, May 1991, pp. 26-36.
- Collier et al., Smart cars, Smart Highways, IEEE Spectrum article, Apr. 1994, pp. 27-33.
- Mayhew, Role of Land Navigation in a Vehicular Hazard Warning System, Hughes Aircraft Company, IEEE 1994, pp. 502-511.
- Ananasso, An Overview of Mobile Satellite Systems and their Evolution Towards Satellite Personal Communication Networks, article, Oct. 14, 1994, pp. 435-441.
- Rappaport et al., Position Location Using Wireless Communications on Highways of the Future, IEEE Communications Magazine, Oct. 1996, pp. 33-41.
- Stephens, Navigational System and Sub-Systems Evaluating Requirements, IEEE-IEE Vehicle Navigation & Information Systems Conference, Ottawa—VNIS 1993, pp. 221-226.
- Caffery et al., Overview of Radiolocation in CDMA Cellular Systems, Georgia Institute of Technology, IEEE Communications Magazine, Apr. 1998, pp. 38-45.
- Shaw et al., Cellular Communications—A Changing Environment from Basic Analog to Integrated Digital, Hughes Network Systems, pp. 403-412.
- Tiedemann et al., The OmniTRACS Mobile Satellite Communications and Positioning System, Qualcomm, Inc., pp. 503-507.
- Kazovsky et al., Future Telecommunication Networks: Major Trend Projections, IEEE Communications Magazine, Nov. 1998, pp. 122-127.
- Ristenbatt, Communications and Signal Processing Lab, Department of Electrical Engineering & Computer Science, University of Michigan, article, pp. 949-955.
- Benantar et al., Access Control Systems: From Host-Centric to Network-Centric Computing, IBM Systems Journal, vol. 35, No. 1, 1996, pp. 94-112.
- Jain et al., A Caching Strategy to Reduce Network Impacts of PCS, IEEE Journal on Selected Areas in Communications, vol. 12, No. 8, Oct. 1994, pp. 1434-1444.
- Want et al., The Active Badge Location System, Olivetti Research Ltd., Published in ACM on Information Systems (TOIS), vol. 10, Issue 1, Jan. 1992, pp. 91-102.
- Leonhardt, An Integrated and Federated Location Service, Mobile Computing and its Applications, IEE Colloquium conference, Nov. 24, 1995, pp. 8/1-8/5.
- Spreitzer et al., Architectural Consideration for Scalable, Secure, mobile Computing with Location Information, The 14th International Conference on Distributed Computing Systems, Jun. 21-24, 1994.
- Skomal, Automatic Vehicle Locating Systems, Book published by Van Nostrand Reinhold Company, 1981.
- Mehrotra, Cellular Radio: Analog and Digital Systems (The Artech House Mobile Communications Series), Boston: Artech House Publishers, 1994.
- Balston, Cellular Radio Systems (The Artech House Mobile Communications), book published by Artech Print on Demand, Sep. 30, 1993.
- La Porta et al., Challenges for Nomadic Computing: Mobility Management and Wireless Communications, Mobile Networks and Applications I, 1996, pp. 3-16.
- TIP1/97-025 TIP1.2/97-003R1, Content of a Stage 1 Supplementary Service Description, pp. 1-6.
- Ericsson, Inc., TR45.2 Contribution for SS7 Based A-Interface Position Tracking Procedure, 1997, pp. 1-7.
- Shaw et al., Cellular Communication—A Changing Environment from Basic Analog to Integrated Digital, Hughes Network Systems, pp. 403-412.
- European Telecommunication Standard Institute, Digital cellular Telecommunications System (Phase 2+); Customized Applications for Mobile Network Enhanced Logic (CAMEL)—Stage 2 (GSM 03.78), Apr. 1997, 85 pages.
- European Telecommunication Standard Institute, Digital cellular Telecommunications System (Phase 2-F); Customized Applications for Mobile Network Enhanced Logic (CAMEL); Camel Application Part (CAP) Specification; GSM 09.78 version 5.1.0, Sep. 1997, 218 pages.
- Telecommunications Industry Association, Mobile Station-base Station Compatibility Standard for Dual-mode Wideband Spread Spectrum Cellular System, book Published 1993 by Telecommunications Industry Association . . . In association with the Electronic Industry Association, Reproduced by Global Engineering Documents in Washington, D.C, Secured by TIA/EIA/95B, May 1995, 118 pages.
- Kaplan, Understanding GPS Principles and Applications, Mobile Communications Series, book, published by Artech House, Inc. on Feb. 21, 1996, accessed Aug. 1, 2013, <http://www.bdu.ac.in/ckcr/uploads/Earth/GPS%20FULL%20All%20in%201.pdf>.
- French et al., The Evolving Roles of Vehicular Navigation, Navigation: Journal of the Institute of Navigation, vol. 34, No. 3, Fall of 1987, Received and printed in USA in Jun. 1987, 17 pages.
- FAA Historical Chronology, 1926-1996, Printed Feb. 25, 2011, last accessed on Aug. 1, 2013, http://www.faa.gov/about/history/chronolog_history/, 303 total pages.
- Proposed EIA/TIA Wideband Spread Spectrum Standard, 2 Requirements for Mobile Station Analog Operation, May 7, 1992, 2 pages.
- Proposed EIA/TIA Wideband Spread Spectrum Standard, 3 Requirements for Base Station Analog Operation, May 7, 1992, 2 pages.
- Proposed EIA/TIA Wideband Spread Spectrum Standard, 4 Requirements for Mobile Station Analog Options, May 7, 1992, 2 pages.
- Proposed EIA/TIA Wideband Spread Spectrum Standard, 5 Requirements for Base Station Analog Options, May 7, 1992, 2 pages.

US 8,706,078 B2

Page 13

(56)

References Cited

OTHER PUBLICATIONS

Proposed EIA/TIA Wideband Spread Spectrum Standard, 6 Requirements for Mobile Station CDMA Operation, May 7, 1992, 240 pages. Proposed EIA/TIA Wideband Spread Spectrum Standard, 7 Requirements for Base Station CDMA Operation, May 7, 1992, 182 pages. Proposed EIA/TIA Interim Standard, Wideband Spread Spectrum Digital Cellular System Dual-Mode Mobile Station—Base Station Compatibility Standard, Apr. 21, 1992, 48 pages.

Defendant Nextel; Nextel of California, Inc., et al.'s Memorandum of Points and Authorities in Support of Motion for Summary Judgment of Unenforceability and Invalidity Under 35 U.S.C. §102(f) For Incorrect Inventorship;

1332MemoinsuppofDef'sMSJforinvalidityinventorship102f.pdf; United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx), Dec. 28, 2007.

Plaintiff Enovsys; Plaintiff Enovsys' Memorandum of Points and Authorities in Opposition to Defendants Motion for Summary Judgement of Unenforceability and Invalidity Under 35 U.S.C. §102(f); 206-P'sopptoMSJofunenforce& Invalid102f.pdf; United States District Court of California; Case No. CV 06-5306-RSWL (SHx), Filed Jan. 23, 2008.

Plaintiff Enovsys; Declaration of Mundi Fomukong in Opposition to Defendants Motion for Summary Judgement of Unenforceability and Invalidity Under 35 U.S.C. §102(f) for Incorrect Inventorship; 208-FomukongdeclinopptoMSJunenforce&invalid102.pdf; United States District Court Central District of California; Case No. CV 06-536-RSWL (SHx), Filed Jan. 23, 2008.

Plaintiff Enovsys; Declaration of Denzil Chesney in Opposition to Defendants Motion for Summary Judgement of Unenforceability and Invalidity Under 35 U.S.C. §102(f) for Incorrect Inventorship; 209-CHesneydeclinopptoMSJunenforce&invalid102f.pdf United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx), Filed Jan. 23, 2008.

Defendant Nextel; Nextel of California, Inc., et al.'s Reply Brief in Support of Motion for Summary Judgement of Enforceability and Invalidity Under 35 U.S.C. §102(f) for Incorrect Inventorship; District of California; Case No. CV Jun. 5306-Rswl (SHx), Jan. 30, 2008.

Defendant Nextel; Nextel of California, Inc., et al.'s Memorandum of Points and Authorities In Support of Motion for Summary Judgment of Invalidity Under 35 U.S.C. §§102 and 103; 138-2Def'smotionforinvalidityunder102and103.pdf United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx), Filed Dec. 28, 2007.

Plaintiff Enovsys; Plaintiff Enovsys' Memorandum of Points and Authorities in Opposition to Defendants Motion for Summary Judgement of Invalidity Under Section 102 and 103; 199-P'sopptoMSJifinvaliditysect102&103.pdf United States District Court Central District of California; Case No. CV; Jun. 5306-RSWL (SHx), filed Jan. 23, 2008.

Defendant Nextel; Nextel of California, Inc., et al.'s Reply Brief in Support of Motion for Summary Judgment of Invalidity Under 35 U.S.C. §§102 and 103; 227-NextelCAreplyMSJinvalidity102&103.pdf United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx), filed Jan. 30, 2008.

Plaintiff Enovsys; Plaintiff Enovsys' Supplemental Memorandum of Points and Authorities Re Pending Summary Judgement Motions; 269-Plaintiff'ssuppmoreMSJs.pdf United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx), filed march 13, 2008.

Plaintiff Enovsys; Plaintiff Enovsys' Notice of Motion and Motion for Partial Summary Judgement on Defendant's Affirmative Defense and Counterclaim That the Patents-In-Suit Are Invalid Under Section 102; 146-P'sMSJre102.pdf United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx), filed Dec. 28, 2007.

Defendant Nextel; Nextel of California, Inc., et al.'s Memorandum of Points and Authorities In Opposition to Enovsys' Motion for Partial Summary Judgment Re Invalidity Under Section 102; 197-NexteloppartialMSJreinvaliditysect102.pdf United States Dis-

trict Court Central District of California; Case No. CV 06-5306-RSWL (SHx), filed Jan. 23, 2008.

United States District Court Central District of California; Court Order on Motion for Summary Judgment of Invalidity under 35 USC 102 and 103; 286-orderresummaryjudgments.pdf United States District Court Central District of California; Case No. CV-06-5306-RSWL (SHx), filed Mar. 20, 2008.

Plaintiff Enovsys; Plaintiff Enovsys'[Corrected] Opening Claim Construction Brief 152-correctclaimconstructionbrief.pdf; United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx), filed Dec. 29, 2007.

Defendant Nextel; Nextel of California, Inc., et al.'s Brief in Support of Defendant's Proposed Claim Construction 195-1Nextelproposedclaimconstruction.pdf; United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx), filed Jan. 23, 2008.

Defendant Nextel; Nextel of California, Inc., et al.'s Sur-Reply in Support of Defendant's Proposed Claim Construction 238-1Nextelsurreplyreclmconst.pdf; United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx), filed Feb. 6, 2008.

Defendants AT&T Mobility Llc and AT&T Mobility II L (collectively, "Defendants"); Invalidity Contentions; served on Jun. 25, 2012 along with Appendices A-O and Exhibits 1-22; United States District Court Central District of California; Case No. 11-CV-05210-Ddp (AGRx).

Carter et al., Using Cellular Telephones for Automatic Vehicle Tracking, Paper No. 28 presented at Land Navigation and Location for Mobile Applications, Sep. 9-11, 1985. Pages 1-10.

Stephens, Navigational System and Sub-Systems Evaluating Requirements, IEEE-IEE Vehicle Navigation & Information Systems Conference, Ottawa-VNIS 1993, pp. 221-226.

Benantar et al, Access Control Systems: From Host-Centric to Network-Centric Computing, IBM Systems Journal, vol. 35, No. 1, 1996, pp. 94-112.

La Porta et al, Challenges for Nomadic Computing: Mobility Management and Wireless Communications, Mobile Networks and Applications I, 1996, pp. 3-16.

Allan Kirson; ATIS—A Modular Approach; Kirson—ATIS—A Modular Approach.pdf; in: IEEE Plans '92 —Position Location and Navigation Symposium, Monterey, CA, Mar. 24-27, 1992, Record; (A93-10976 01-04), p. 528-533).

William G Toperzer; An Advanced Driver Information System Concept and Its Communications Considerations; Toperzer—An Advanced Driver Information.pdf; Position Location and Navigation Symposium, 1990. Record. apos; The 1990apos;—A Decade of Excellence in the Navigation Sciencesapos; IEEE Plans apos;90., IEEE, Volume, Issue, Mar. 20-23, 1990 pp. 369-369.

Defendant Nextel; Nextel of California, Inc., et al.'s Reply Brief in Support of Motion for Summary Judgment of Unenforceability and Invalidity Under 35 U.S.C. §102(f) for Incorrect Inventorship; 224-1NextelCAreplyMSJincorrectinventor102f.pdf; United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx).

United States District Court Central District of California; Court Order for Defendant/Countercliamant Nextel of California, Inc., et al.'s Motion for Summary Judgment of Unenforceability and Invalidity Under 35 U.S.C. §102(f) for Incorrect Inventorship; 260-OrderreDef'sMSJInvalidity'unenforce102f.pdf;

Defendant Nextel; Nextel of California, Inc., et al.'s Memorandum of Points and Authorities in Support of Motion for Summary Judgment of Invalidity Under 35 U.S.C. §§102 and 103; 138-2Def'smotionforinvalidityunder102and103.pdf United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx).

Defendant Nextel; Nextel of California, Inc., et al.'s Reply Brief in Support of Motion for Summary Judgment of Invalidity Under 35 U.S.C. §§102 and 103; 227-NextelCAreplyMSJinvalidity102&103.pdf United States District Court Central District of California; Case No. CV Jun. 5306-Rswl (SHx).

Plaintiff Enovsys; Plaintiff Enovsys'Supplemental Memorandum of Points and Authorities Re Pending Summary Judgement Motions;

US 8,706,078 B2

Page 14

(56)

References Cited

OTHER PUBLICATIONS

269-PlaintiffssuppmoreMSJs.pdf United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx). Plaintiff Enovsys; Plaintiff Enovsys' Notice of Motion and Motion for Partial Summary Judgement on Defendant's Affirmative Defense and Counterclaim That the Patents-In-Suit Are Invalid Under Section 102; 146-P'sMSJre102.pdf El.

Plaintiff Enovsys; Reply Brief in Support of Plaintiff Enovsys' Motion for Partial Summary Judgement on Defendant's Affirmative Defense and Counterclaim That the Patents-In-Suit Are Invalid Under Section 102; 230-P'sreplypartialMSJ.pdf.

United States District Court Central District of California; Court Order on Motion for Summary Judgement of Invalidity under 35 USC 102 and 103; 286-orderresummaryjudgments.pdf United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx) Plaintiff Enovsys.

Plaintiff Enovsys; Plaintiff Enovsys'[Corrected] Opening Claim Construction Brief 152-correctclaimconstructionbrief.pdf; United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx).

Plaintiff Enovsys; Exhibit 3 to Declaration of Jeff Eichmann in Support of Plaintiff Enovsys' Opening Claim Construction Brief; 137-4(Exhibit3toClaimonstructionbrief).pdf; United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx).

Defendant Nextel; Nextel of California, Inc., et al.'s Brief in Support of Defendant's Proposed Claim Construction 195-1Nextelproposedclaimconstruction.pdf; United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx) Plaintiff Enovsys.

United States District Court Central District of California Court Order on Claim Construction 261-ClaimConstorder.pdf United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx).

Allan Kirson; ATIS—A Modular Approach; Kirson—A Modular Approach.pdf; In: IEEE Plans '92—Position Location and Navigation Symposium, Monterey, CA, Mar. 24-27, 1992, Record; (A93-10976 01-04), p. 528-533).

William G Toperzer; An Advanced Driver Information System Concept and Its Communications Considerations; Toperzer—An Advanced Driver Information.pdf; Position Location and Navigation Symposium, 1990. Record. apos;The 1990apos;s—A Decade of Excellence in the Navigation Sciencesapos; IEEE PLANS apos;90., IEEE, Volume, Issue, Mar. 20-23, 1990 pp. 364-369.

CJ Driscoll and Associates; Survey of Location Technologies to Support Mobile 9-1-1; Driscoll—Survey of Location Technologies. pdf; Survey Conducted for State of California Department of General Services Telecommunications Division, Sacramento, California and for the Association of Public Safety Communications Officials (APCO) Jul. 1994.

Federal Communications Commission; In the Matter of Revision of the Commission's Rules to Ensure Compatibility With Enhanced 911 Emergency Calling Systems; FCC—In the Matter of Revision—1994.pdf; 9 F.C.C.R. 6170, 9 FCC Rcd. 6170, 3 Communications Reg. (P&F) 2193, 1994 WL 721857 (F.C.C.).

Federal Communications Commission; In the Matter of Revision of the Commission's Rules to Ensure Compatibility With Enhanced 911 Emergency Calling Systems; FCC—In the Matter of Revision—1996.pdf; Federal Communications Commission FCC 96-264.

Office of Technology Assessment, U.S Congress; Wireless Technologies and the National Information Infrastructure; Wireless Technologies National Info Infrastructure.pdf OTA-ITC-622 GPO stock #052-003-01421-1 Sep. 1995.

Kevin G. Hegebarth; ANI is the Key to Unlock Advanced Network Services; Hegebarth—ANI Is the Key.pdf Telephonu/Nov. 14, 1988.

Defendant Nextel; Nextel of California, Inc., et al.'s Memorandum of Points and Authorities in Support of Motion for Summary Judgment of Unenforceability and Invalidity Under 35 U.S.C. §102(f) for Incorrect Inventorship.

Plaintiff Enovsys; Plaintiff Enovsys' Memorandum of Points and Authorities in Opposition to Defendants Motion for Summary Judgment of Unenforceability and Invalidity Under 35 U.S.C. §102(f); 206-P'sopptoMSJofunenforce&invalid102f.pdf United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx).

Plaintiff Enovsys; Declaration of Mundi Fomukong in Opposition to Defendants Motion for Summary Judgment of Unenforceability and Invalidity Under 35 U.S.C. §102(f) for Incorrect Inventorship; 208-FomukongdeclinopptoMSJunenforce&invalid102f.pdf.

Plaintiff Enovsys; Declaration of Denzil Chesney in Opposition to Defendants Motion for Summary Judgment of Unenforceability and Invalidity Under 35 U.S.C. §102(f) for Incorrect Inventorship; 209-ChesneydeclinopptoMSJunenforce&invalid102f.pdf United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx).

Defendant Nextel; Nextel of California, Inc., et al.'s Reply Brief in Support of Motion for Summary Judgment of Unenforceability and Invalidity Under 35 U.S.C. §102(f) for Incorrect Inventorship; 224-1NextelCareplyMSJincorrectinventor102f.pdf; United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx).

United States District Court Central District of California; Court Order for Defendant/Countercliamant Nextel of California, Inc., et al.'s Motion for Summary Judgment of Unenforceability and Invalidity Under 35 U.S.C. §102(f) for Incorrect Inventorship; 260-OrderreDef'sMSJInvalidity'unenforce102f.pdf.

Defendant Nextel; Nextel of California, Inc., et al.'s Memorandum of Points and Authorities in Support of Motion for Summary Judgment of Invalidity Under 35 U.S.C. §§102 and 103; 138-2Def'smotionforinvalidityunder102and103.pdf United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx).

Plaintiff Enovsys; Plaintiff Enovsys' Memorandum of Points and Authorities in Opposition to Defendants Motion for Summary Judgment of Invalidity Under Section 102 and 103; 199-P'sopptoMSJifinvaliditysect102&103.pdf United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx).

Plaintiff Enovsys; Declaration of Christopher Rose, PHD in Opposition to Defendants Motion for Summary Judgment of Invalidity Under Section 102 and 103; 201-IRoseDeclinopptoMSJofinvalidity102&103.pdf United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx).

Defendant Nextel; Nextel of California, Inc., et al.'s Reply Brief in Support of Motion for Summary Judgment of Invalidity Under 35 U.S.C. §§102 and 103; 227-NextelCareplyMSJinvalidity102&103.pdf United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx).

Defendant Nextel; Nextel of California, Inc., et al.'s Supplemental Briefing in Support of Summary Judgment Motions and Opposition; 268-Nextelsuppmoresumjudg102&103.pdf United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx).

Plaintiff Enovsys; Plaintiff Enovsys'Supplemental Memorandum of Points and Authorities Re Pending Summary Judgement Motions; 269-PlaintiffssuppnmoreMSJs.pdf United States District Court Central District of California; Case No. CV 06-5306-R (SHx).

Plaintiff Enovsys; Plaintiff Enovsys' Notice of Motion and Motion for Partial Summary Judgement on Defendants Affirmative Defense and Counterclaim That the Patents-In-Suit Are Invalid Under Section 102; 146-P'sMSJre102.pdf.

Defendant Nextel; Nextel of California, Inc., et al.'s Memorandum of Points and Authorities in Opposition to Enovsys' Motion for Partial Summary Judgment Re Invalidity Under Section 102; 197-NexteloprepapartialMSJreinvaliditysect102.pdf United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx). Plaintiff Enovsys; Reply Brief in Support of Plaintiff Enovsys' Motion for Partial Summary Judgement on Defendants Affirmative Defense and Counterclaim That the Patents-In-Suit Are Invalid Under Section 102; 230-P'sreplypartialMSJ.pdf

United States District Court Central District of California; Court Order on Motion for Summary Judgement of Invalidity under 35

US 8,706,078 B2

Page 15

(56)

References Cited

OTHER PUBLICATIONS


USC 102 and 103; 286-orderresummaryjudgments.pdf United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx).
 Plaintiff Enovsys; Plaintiff Enovsys'[Corrected] Opening Claim Construction Brief 152-correctclaimconstructionbrief.pdf; United States District Court Central District of California; Case No. CV 06-5306-RDs (SHx).
 Plaintiff Enovsys; Exhibit 3 to Declaration of Jeff Eichmann in Support of Plaintiff Enovsys' Opening Claim Construction Brief; 137-4(Exhibit3toClaimconstructionbrief).pdf; United States District Court Central District of California; Case No. CV 5306-RSWL (SHx).
 Defendant Nextel; Nextel of California, Inc., et al.'S Brief in Support of Defendant'S Proposed Claim Construction 195-

1Nextelproposedclaimconstruction.pdf; United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx).
 Plaintiff Enovsys; Plaintiff Enovsys'Reply Claim Construction Brief; 228-P'sreplyreclaimconstruction.pdf; United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx).

Defendant Nextel; Nextel of California, Inc., et al.'s Sur-Reply in Support of Defendant'S Proposed Claim Construction 238-1Nextelsurreplyreclmconst.pdf; United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx).

United States District Court Central District of California; Court Order on Claim Construction 261-ClaimConstorder.pdf United States District Court Central District of California; Case No. CV 06-5306-RSWL (SHx).

* cited by examiner






FIG. 2

U.S. Patent

Apr. 22, 2014

Sheet 3 of 4

US 8,706,078 B2




FIG. 3




FIG. 4

US 8,706,078 B2

1

LOCATION REPORTING SATELLITE PAGING SYSTEM WITH PRIVACY FEATURE

RELATED APPLICATION INFORMATION

This application is a continuation of U.S. application Ser. No. 10/414,348, filed Apr. 15, 2003. Application Ser. No. 10/414,348 is a continuation of U.S. application Ser. No. 09/265,236 filed Mar. 8, 1999 and issued as U.S. Pat. No. 6,560,461. Application Ser. No. 09/265,236 is a continuation-in-part of U.S. application Ser. No. 08/905,674, filed Aug. 4, 1997 and issued as U.S. Pat. No. 5,918,159. Each of these applications is incorporated by reference.

This application is related to the following applications, all of which claim priority from application Ser. No. 10/414,348: 13/018,190 filed on Jan. 31, 2011; Ser. No. 11/933,276 filed on Oct. 31, 2007 and issued as U.S. Pat. No. 7,925,273; Ser. No. 12/426,263 filed on Apr. 19, 2009; Ser. No. 12/426,265 filed on Apr. 19, 2009; PCT Application No. 98/19270 filed on Sep. 16, 1998.

NOTICE OF COPYRIGHTS AND TRADE DRESS

A portion of the disclosure of this patent document contains material which is subject to copyright protection. This patent document may show and/or describe matter which is or may become trade dress of the owner. The copyright and trade dress owner has no objection to the facsimile reproduction by anyone of the patent disclosure as it appears in the Patent and Trademark Office patent files or records, but otherwise reserves all copyright and trade dress rights whatsoever.

BACKGROUND

The field of the invention is telecommunication services and systems, specifically such services and systems that have the ability to locate a remote unit using a telecommunication network.

Today, portable mobile telecommunication devices such as cellular telephones, pagers and other handheld information receiving devices are utilized by a greater cross section of the population since they are relatively inexpensive to acquire. Normally information from a communication source is transmitted to a subscriber in possession of a handheld communication information receiving device at a remote global location. The caller or receiver of information dials a number and a communication channel is set up for communication with a remote receiving unit such as a handheld communication device. Currently there is no infrastructure in place whereby a caller may request the location of the remote receiving unit from the network. The caller or communication source cannot determine where a message is sent.

SUMMARY OF THE INVENTION

The present invention is directed to a communication system using a network of signal transmitting and receiving units and remote receiving units. Information about the location of the remote receiving units is employed by the system.

In a first separate aspect of the present invention, a network of signal transmitting and receiving units and at least one positioning transmitter for transmitting positioning information communicate with a remote receiving unit. The remote receiving unit is capable of selectively providing secured and accessible remote receiving unit position information to the network of signal transmitting and receiving units.

2

In a second separate aspect of the present invention, the foregoing aspect further includes a terrestrial control station and terrestrial signal transmitting and receiving stations and/or satellite signal transmitting and receiving stations.

In a third separate aspect of the present invention, a network of signal transmitting and receiving units includes means for determining that the location of a remote receiving unit is requested. A means for locating the signal transmitting and receiving unit in the network which is able to communicate with the remote receiving unit is employed with a means for reporting the location of that unit.

In a fourth separate aspect of the present invention, the positioning information of a remote receiving unit is provided to a network of signal transmitting and receiving units with the information selectively secured by the remote receiving unit from inquiry to the network. The remote receiving unit may be capable of communication with at least one positioning transmitter and capable of two way communication with the network of signal transmitting and receiving units to disclose a global location to the network. The network may include satellite units and terrestrial units.

In a fifth separate aspect of the present invention, a method for divulging or blocking the location of a remote receiving unit associated with a network is contemplated. The method includes receiving authorization at the network to block or divulge the location from the remote receiving unit, receiving a request at the network for the location of a remote receiving unit, identifying the source of the request if required, transmitting the request and the identification of the source of the request by the network to the remote receiving unit for authorization and responding to the request according to the authorization. A sensory signal may be transmitted from the remote receiving unit until transmitting the positional information is successfully completed.

In a sixth separate aspect of the present invention, a method for updating a network of signal transmitting and receiving units about the positional information for a remote receiving unit includes providing positional information about the remote receiving unit to the remote receiving unit, comparing the positional information with pre-selected active areas stored in the remote receiving unit and generating a sensory signal at the remote receiving unit if the comparison is negative. The network may be updated with the positional information of the remote receiving unit.

In a seventh separate aspect of the present invention a method for transmitting a message to a remote receiving unit by a network of signal transmitting and receiving units includes configuring the message to include the addresses of at least selected signal transmitting and receiving units of the network and transmitting the message to a series of signal transmitting and receiving units of the network in series. The units with a selected address beams the message to the corresponding coverage areas. The message is then reconfigured to eliminate the address of the receiving signal transmitting and receiving unit before it is re-transmitted to a subsequent signal transmitting and receiving unit.

In an eighth separate aspect of the present invention, any of the foregoing aspects are contemplated to be combined.

Thus, it is an object of the present invention to provide an improved communication network. Other and further objects and advantages will appear hereafter.

DESCRIPTION OF THE DRAWINGS

FIG. 1 shows a global satellite paging network.
FIG. 2 shows a block diagram of the remote receiving unit, or pager.

US 8,706,078 B2

3

FIG. 3 shows a flow chart illustrating the operation of a paging network control station each time a caller request for the global position of a remote receiving unit.

FIG. 4 is a flow chart illustrating the operation of a remote receiving unit when a global position is resolved in an attempt to determine if the remote receiving unit is out of their paging area.

DETAILED DESCRIPTION

The present system will consist of satellites [2] in space, communicating with earth based stations [4] and the remote receiving unit [8] which may variously be referred to as a call receiver or pager. Ground based transmitters [10] will be employed to transmit pages to the remote receiving unit [8]. Terrestrial network control stations [6], will be employed to effectively control the activities of the entire global paging network. The system will be developed such that a remote receiving unit operating under an existing paging systems will work. Thus, a network of signal transmitting and receiving unit is developed.

Upon subscribing to a paging network a subscriber selects global areas (pre-selected paging areas) where they wish to receive paging messages. The pre-selected areas, pager ID, paging protocol and other relevant information of the remote receiving unit are stored in the data library of a paging control station [6] for all pagers utilizing the paging network. The remote receiving unit [8], will periodically resolve a global position from signals transmitted from satellites and earth based communication means. The resolved global position will be periodically utilized to update the network each time a user is out of their paging area or each time the paging network requests a remote receiving unit to disclose their global position. This will enable the paging network to know the exact global location of a remote receiving unit whenever the need arises. Messages received for a remote receiving unit are processed by the network and transmitted to the global or active area of the remote receiving unit.

To initiate a page, a caller or communication source may use any regular communication device such as a telephone, personal computer to access the paging network. The caller may add specific codes to a paging message to enable the paging network to disclose the global position of the remote receiving unit after the message is transmitted. The caller's message is firstly processed by the local telephone switching office [9] before transmission to the paging control station [6]. The paging control station [6] will be employed to control all the activities of the network. Upon receiving a paging message, a paging control station decodes the message for relevant information such as pager ID and determines if a caller requires the global position of the pager. Other relevant information such as the paging protocol of the remote receiving unit, pre-selected or preferred worldwide areas to receive pages and the current active area of the remote receiving unit are retrieved from the paging control station's data library. The paging control station [6] validates the current active area of the remote receiving unit with the pre-selected areas to receive pages. If the current active area of the remote receiving unit is valid and within a pre-defined time interval the message is transmitted to the remote receiving unit. If the current active area is invalid (remote receiving unit is out of pre-selected paging area) the message is not transmitted to the remote receiving unit and the caller is notified. In instances where the current active area of the remote receiving unit is valid but the remote receiving unit has not updated the network with its current position over a pre-defined time period, the paging control station will encode the message such that

4

a request will be placed for the remote receiving unit to update its current active global position. As each subscriber of the paging network can only travel a limited distance by air, land or sea within a pre-defined time interval, the paging network, based upon when a remote receiving unit last updated their global location will select appropriate earth based stations and space satellites to transmit the message to the remote receiving unit at specified worldwide locations. The remote receiving unit upon receiving this signal will disclose their global location.

As a user travels from city to city or country to country, the remote receiving unit will periodically resolve a global position from signals transmitted from satellites and earth based communication means. This information will be utilized by the remote receiving unit or user in possession of the remote receiving unit to update the current active area held by the paging network for that remote receiving unit. Also, the remote receiving unit will store this information in its memory such that future resolved global positions could be validated against this information to ensure that the active area currently held and utilized by the paging network to transmit pages to the remote receiving unit is not outdated.

Once a control station determines where a message will be sent, the control station determines the best possible way to transmit the message. With a knowledge of the geographical distribution of all earth based satellite transmitters [4], ground base transmitter stations [10] and space satellites [2], the paging control station [6] will encode a message such that the sequence of transmission of the message will be included. The ID of all the ground stations or space satellites that will be employed in the message transmission chain will be encoded in a chronological order and the message will be routed to the first ground station. This station could be an earth station that transmits directly to satellite [4], or a ground based transmitter [10]. For example, after a paging control station encodes a message and determines which stations (earth or satellite) should transmit the message, the message is routed to the first earth station. The first earth station could either transmit the message directly to satellite or beam the message to their coverage area. Subsequent stations that receive the message decode the message and determine if other stations are required to transmit the message. If other stations are required to transmit the message the current station re-encodes the message so as to eliminate itself from the message transmission chain before retransmitting the message to the next station. By re-encoding the message an earth station or satellite station will prevent subsequent stations involved in the message transmission chain to retransmit the message back to that station. If an earth station or satellite determines it is required to broadcast a message, the message is beamed to the area covered by that station. The transmission chain continues until the last station broadcasts the message and acknowledges with a status signal which is sent back to the paging control station. Upon receiving this signal, the ground control station can alert the caller that the message was successfully sent. Therefore, with a knowledge of the geographical distribution of the paging network's earth and satellite transmitters, and a knowledge of the current active area of a remote receiving unit, a ground control paging station could effectively encode a caller's message to include all satellite and earth based stations that will be employed in the message transmission chain. This will eventually minimize the risk of a satellite or earth based transmitter from being overloaded.

Once a paging control station [6] receives a message from a caller, the control station, determines if the caller requested the global position of the remote receiving unit. The control station then verifies from its data library if the positioning

US 8,706,078 B2

5

disclosure feature for that remote receiving unit has not been blocked by the subscriber. Each remote receiving unit will have a special code whereby if identified in a caller's paging information, will allow the paging control station to disclose the remote receiving unit global position. If such a code is not detected in a callers message and the caller requested the global location of a remote receiving unit, the caller will be immediately notified that their request was not authorized by the subscriber using the remote receiving unit. A subscriber may change their positioning disclosure code at anytime and reveal such information only to individuals who could acquire information regarding their global whereabouts from the paging network. The paging network will only override the users request and disclose a subscribers global position only in an emergency circumstance. Also the network operation could be such that a network might disclose all locations whenever a call is placed to a subscriber and subscribers may opt not to have their location disclosed.

If the positioning disclosure feature is blocked for any call, a message is sent to the caller indicating that the subscriber does not wish their current global position disclosed. If the positioning disclosure feature is active, the control station retrieves the coordinates of the remote receiving unit global position and encodes that information before transmission to the caller. Such information may describe the latitude and longitude of the subscriber including a more simplified information such as the country, city or town were the message was sent. The steps carried out by the control station during this process are best illustrated in step 1, FIG. 3. In this illustration, the paging control station upon receiving a paging message decodes the message and checks if the message includes a request for the remote receiving unit global position. If such information is not required the message is processed normally. If the remote receiving unit global position is required and the positioning disclosure code is detected, the remote receiving unit positioning information is retrieved from the data bank of the paging control station. If the information retrieved from the paging control station's databank is unavailable or out of date, a request could be made that the remote receiving unit disclose its current position. If the control station establishes that the positioning disclosure feature is blocked for that message, the caller is immediately notified with the appropriate message. If the remote receiving unit positioning disclosure feature for the message in process is active, the positioning information of the remote receiving unit is processed and transmitted to the caller and the caller's message is processed for dispatch to the remote receiving unit as previously disclosed.

A communication source may request the unit to disclose its position to one or more communication targets. Upon receiving this signal the caller may be alerted and location information of the unit may be selectively or fully relayed to the respective communication targets. In instances where a communication source does not have direct access to obtain a subscriber's location from the communication network, the source may poll for the location of a remote unit by including specific information which when received by the remote receiving unit will reveal the identity of the source and a request for the location of the remote unit. The remote unit may either accept or decline to this request by transmitting specific information back to the paging network which will reveal or block the location to the caller.

In another scenario a remote unit may disclose location information to a communication target such as a remote computer or terminal via the network. In this situation a user selects or specifies the destination ID of the communication target, which may be a computer or terminal address. The

6

location of the remote unit is resolved and transmitted to the communication target via the network with the appropriate information if available. In a distress situation a subscriber may use this feature to alert the network with location and relevant distress information which when received by the network could enable the dispatch of an emergency team to that location. Other service industries may utilize the network to allow for certain types of information that are location dependent disclosed to their site. For instance a caller driving on a highway and in full view of an accident may simply disclose that information through the input panel and the appropriate authority could be notified of such an event happening at that location. In a rainy, foggy or highly congested traffic area a subscriber in possession of this unit may relay such an event to the appropriate authority. Furthermore, subscribers may use this feature at any time to log their locations at their home computer or any relevant Internet site by selecting or specifying the appropriate ID or address for location information dispatch.

For positioning, the remote receiving unit will be pre-programmed to periodically resolve a position from signals transmitted from satellites and earth based communication means. At least the remote receiving unit should have the means to provide the paging network with positioning information. Some of the satellites and earth based transmitters used to transmit paging information could be employed to transmit referenced positioning signals to the remote receiving unit. Alternatively the Global Positioning System well known in the art as GPS could also be utilized by the remote receiving unit to resolve a global position. However the remote receiving unit should have a means to resolve a global position from L-band signals transmitted from at least one satellite, depending on the resolving technique employed. GPS is currently being used to provide worldwide positioning information to mobile users around the globe. Such positioning information has an accuracy of about one hundred meters and could further be improved to an accuracy of five meters if referenced signals from ground based transmitters are utilized in the resolving process. A fully operational Global Positioning System includes up to 24 satellites dispersed around six circular orbits. The dispersion and inclination of the satellites is such that at least three or more satellites are readily visible from most parts on the earth surface. In a typical example, for a remote receiving unit to resolve a global position, the remote receiving unit need to solve for two variables of position, latitude and longitude. The satellites, equipped with atomic clocks act as a beacon and transmit signals that tell the remote receiving unit where it is and what time the signal was sent. From this information, a remote receiving unit can determine how far it is from the satellite by comparing the time sent with the time received and multiplying by the speed of light (distance=velocity*time). Since there is a bias between the GPS time and the user's time, a third variable time will be required. Having three satellites in view at any point in time, a remote receiving unit will be able to solve for latitude, longitude and time. For three dimensional positioning a fourth variable and satellite will be required. Upon resolving a global position the remote receiving unit could update the network with its present global location or the remote receiving unit could alert a user when they are out of their active or preselected global areas to receive pages.

The remote receiving unit (FIG. 2) will receive messages transmitted from satellites and terrestrial based transmitters through the transceiver [101]. The connecting circuitry [102] of the remote receiving unit, controlled by the CPU [108], will route satellite based signals via 202 to the satellite receiv-

US 8,706,078 B2

7

ing means [103] and terrestrial based signals via 203 to the terrestrial receiving means [104]. The connecting circuitry may include a filter arrangement and a switch that will allow L-band or satellite frequencies to pass via 202 and terrestrial or Ultra High Frequencies to pass via 203. This signals could either be paging message signals or global positioning signals. Therefore depending on the pre-loaded protocols and initialization data, the CPU will drive the connecting circuitry [102], satellite receiving means [103], terrestrial receiving means [104] to scan and process specific frequencies.

Satellite signals are processed by the satellite receiving means [103]. This unit will process global positioning satellite signals and satellite message signals. The satellite receiving unit will include satellite signal amplifiers, mixers and filters that will convert the L band global positioning and message signals received from the connecting circuit [102] to an appropriate level for efficient processing by the decoding circuit [105]. The satellite receiving means circuitry is well known by any one well skilled in the art. The operation of this unit is controlled by the microprocessor or CPU [108] via 206.

The CPU determines the appropriate intermediate frequencies and output signals that will be generated by the satellite receiving unit [103]. This is based on the initialization parameters pre-loaded in the ROM [110] of the remote receiving unit. The CPU controls the satellite receiving unit via 206, and the output signals produced by the satellite receiving unit [103] are routed via 205 to the decoder [105] for intelligence extraction and error correction. Decoder [105] is controlled by the CPU [108] via 209. Transmission of data directly by Decoder [105] or Decoder [106] to the CPU input port via 210 is determined by the CPU. If the CPU determines satellite messages are of high priority Decoder [105] is signaled via 209 to transmit data directly to the CPU via 210 and Decoder [106] is signaled via 213 to temporary hold its data. Decoder [106] will store its data in the Temporary Store [107] via 211 for later retrieval by the CPU. If terrestrial based signals are of a higher priority Decoder [105] is signaled to temporary hold its data. Again each decoder could be equipped with a store eliminating the use of the Temporary Store [107]. If a decoder is not equipped with storage means, the decoder could download its data via 211 to the temporary data storage while the other decoder will transmit directly to the CPU via 210. If multiple decoders are required to decode multiple satellite and earth based signals (message and positioning signals), the CPU could again determine when each decoder should transmit its data to the CPU's input port, with each decoder equipped with the appropriate storage means to temporarily hold its data until such transmit instruction is received from the CPU.

Terrestrial based signals will be processed by the terrestrial receiving means [104]. This UHF or VHF signals will be routed by the connecting circuitry [102] via 203 to the terrestrial receiver [104]. Again, the terrestrial receiving unit will include Ultra High Frequency (UHF) or Very High Frequency (VHF) amplifiers, filters and down converting circuitry to process the signal from 203 to an appropriate level for efficient processing by decoder [106]. Direct transmission of data from decoder 2 [106] to the CPU via 210 will be controlled by the CPU. The operation of this part of the receiver will be similar to the satellite receiving end. Therefore, the CPU [108] will control the operation of the connecting circuitry, the satellite and terrestrial receiving means. The CPU [108] will have the ability to determine exactly when a satellite or terrestrial message or positioning signal is received and processed.

8

Once the CPU completes processing data from a decoder [106,107], the CPU retrieves data from the temporary data storage [107] for processing. As previously stated multiple decoders could be employed. In this situation each decoder will have the ability to store or hold its data temporarily or use the temporary storage [107] until signaled by the CPU to transmit data directly via 210. Relevant communication links will be added to interface the newly added decoders to the CPU [108], satellite receiving unit [103], and the terrestrial receiving unit [104]. With this technique all message and positioning signals transmitted from either satellite or earth based communication means will be eventually decoded and processed by the CPU, with rarely any message being lost or corrupted in this process.

To conserve receiver power, the CPU could be preprogrammed so as to control the connecting circuitry [102], the satellite receiving module [103], and the terrestrial receiving module [104], to process positioning signals periodically. In this situation only paging messages (voice and alphanumeric) will be allowed to pass, while positioning information signals will be periodically blocked. If a paging message received requires the remote receiving unit to disclose its current global location, the CPU [108] upon detecting this request will allow the remote receiving unit to resolve a global position from satellite and earth based referenced signals before resuming operation normally.

If a decoded message received by the CPU via 210 is voice or alphanumeric, the CPU alerts the user either through the display [114], alert means [116] or audio means [111] as to the presence of a new message. Alphanumeric messages are displayed through the display while voice messages are routed to the digital to analog (D/A) converter [113], so that they are converted to their analog format by the D/A converter. The analog signal is amplified by the amplifier [112], and the amplified signal is used to drive the audio means [111] (speaker or earphone). The memory means [115] is used to store messages for future replay by the user. These messages are first compressed by the CPU before storage in memory. Prior to replay or redisplay the messages are decompressed.

Once a user subscribes to the global paging network, the remote receiving unit is initialized. Relevant data such as the paging protocols, frequencies, preferred paging locations and other relevant data are down loaded into the ROM [110] of the remote receiving unit. As the user travels from one global location to another, this information will be used by the CPU to control the actions of all modules of the remote receiving unit.

A remote receiving unit will have the ability to resolve a global position from signals transmitted from satellites and earth based communication means. Periodically, the remote receiving unit will resolve a global position from these signals and compare it to reference encoded global position coordinates pre-loaded in its ROM [110]. If the CPU [108] establishes that the current global position of the remote receiving unit is not within the user's preferred location to receive pages, the user is immediately alerted that they are out of their paging area and no paging messages will be received. If the remote receiving unit current active area to receive pages is not within the previously stored active areas, the user is alerted to update the paging network with their current active area. The network may also request the remote receiving unit for its current global position. If such a message is received the subscriber in possession of the remote receiving unit is notified that an update of the network is required. The remote receiving unit will scan for the strongest network communicating channel via transceiver [101]. If such a link is established, the remote receiving unit will automatically update the

US 8,706,078 B2

9

network with its current global positioning coordinates. In circumstances where the remote receiving unit does not find a suitable network channel for direct communication, the remote receiving unit will alert the user that no RF communicating channel was found for automatic update of its current global position. In this situation a user could update the network by calling in and disclosing their current global coordinates resolved by the remote receiving unit. If the user is required to update the network, the remote receiving unit will periodically alert the user to update the network until an input is received from the user through input panel [109] via 220 indicating that the action has taken place. The CPU [108] will store in its memory the current resolved global position of the remote receiving unit as the current active area of the remote receiving unit held by the paging network. This will enable the CPU to determine when an active area update of the paging network is required without waiting for the network to request for such information. The actions undertaken by the remote receiving unit during this processes are best illustrated in Step 2, FIG. 4. In this illustration, the remote receiving unit first resolves a global position. Such a request might have been initiated from the user through input panel [109], the paging network or from within the remote receiving unit CPU. Upon resolving a global position, the remote receiving unit validates this position with the pre-selected areas to receive pages usually stored in the ROM. If the pre-selected areas are valid, the remote receiving unit further checks if its current active area to receive pages is valid. If the remote receiving unit current active area to receive pages is valid, the CPU checks if the paging network requires the current global coordinates of the pager. If the network does not require the remote receiving unit to update its position, the remote receiving unit resumes operation normally. If the current active area of the remote receiving unit is invalid or the pre-selected area to receive pages is invalid or the network had requested for the remote receiving unit global location, the remote receiving unit searches for the strongest network communication channel to transmit its current global position. If such a channel is found the network is automatically updated. If no such channel is found the user is alerted to update the network with the current global coordinates resolved by the remote receiving unit.

At any point in time a subscriber could use the remote receiving unit or any relevant terrestrial communication device to activate or deactivate their positioning disclosure feature from the network. In the deactivated mode the network will not disclose a subscriber's global location to a caller requesting that information. A user may override the periodic global positioning resolving feature of the remote receiving unit to obtain a current global position through the input panel [109] at any time. Once the CPU [108] resolves and makes this information available to the user, the terrestrial receiving means [104], satellite receiving means [103] and the connecting circuit [102] will be signaled to resume operation normally. With the aid of the input panel [109] and the display [114] relevant information such as current active paging area, pre-selected areas, and the remote receiving unit current global position will always be made available to a user such that an update of the paging network could be done by a user in possession of the remote receiving unit at any point in time and at any global location without a request from the network.

It is claimed:

1. A method for limiting access to a current location information for a mobile remote unit comprising:

10

receiving, from a source, a request to provide a current location for the mobile remote unit connected to and a part of a communication system;

the communications system verifying, after receipt of the request, that an authorization code supplied by the source is the authorization code required from the source to receive the current location of the mobile remote unit; the communications system determining, after receipt of the request and the authorization code supplied by the source, whether a positioning disclosure feature for the mobile remote unit is either active or blocked by an operator of the mobile remote unit; and

the communications system denying access to the current location of the mobile remote unit to the source when the source has supplied the authorization code required to receive the current location and after determining the positioning disclosure feature is blocked.

2. The method of claim 1 further comprising: determining whether the request indicates that the request is being issued in an emergency circumstance; and providing the current location information for the mobile remote unit to the source if the request is issued in the emergency circumstance.

3. The method of claim 1 further comprising: determining that the current location information stored on the communication system is recent; and denying access to the current location information for the mobile remote unit from the communication system in response to the request if the source has supplied the authorization code required to receive the current location and the positioning disclosure feature is blocked.

4. The method of claim 1 further comprising: determining that the current location information stored on the communication system is out of date; requesting updated current location information from the mobile remote unit; receiving updated current location information from the mobile remote unit; and updating the current location information to include the updated current location information.

5. The method of claim 4 further comprising periodically requesting an update on the current location information for the mobile remote unit.

6. The method of claim 1 wherein a current status of the positioning disclosure feature is not available to the source before submission of the request and wherein the positioning disclosure feature is set in response to instructions received from the mobile remote unit.

7. The method of claim 1 wherein the source has not provided the authorization code required to receive the current location of the mobile remote unit when authorization required to receive the current location cannot be confirmed using the authorization code supplied by the source.

8. The method of claim 1 wherein transmission of the current location from the mobile remote unit to a network is not disabled when the source has not provided the authorization code required to receive the current location.

9. The method of claim 1 wherein the mobile remote unit provides the current location to a network regardless of whether the positioning disclosure feature is blocked.

10. The method of claim 1 wherein one or more component at the communication system includes a control unit and/or the mobile remote unit.

11. The method of claim 1 wherein the authorization code supplied by the source is the authorization code required from the source to receive the current location of more than one mobile remote unit.

US 8,706,078 B2

11

12. The method of claim 1 wherein the source is pre-authorized to submit the request for the location of the mobile remote unit after it has been determined that the source was previously authorized to submit the request.

13. The method of claim 1 wherein the current location is kept track of without interruption or continuously tracked by the communications system, but access to the current location is denied to the source when the positioning disclosure feature is blocked.

14. The method of claim 1 wherein the current location is resolved by a selected one of (1) the mobile remote unit and (2) a component of the communication system.

15. The method of claim 1 wherein data pertaining to the positioning disclosure feature is maintained on at least one of (1) the communication system and (2) the mobile remote unit.

16. The method of claim 1 wherein the mobile remote unit is capable of processing at least one of voice and alphanumeric messages.

17. A system for limiting access to a current location information for a mobile remote unit, the system comprising:

a network for receiving, from a source, a request to provide a current location information for a mobile remote unit connected to and a part of the network;

the network for verifying after receipt of the request that an authorization code supplied by the source is the authorization code required from the source to receive the current location of the mobile remote unit, determining, after receipt of the request and the authorization code supplied by the source, whether a positioning disclosure feature for the mobile remote unit is either active or blocked by an operator of the mobile remote unit, and denying access to the current location information of the mobile remote unit if the source has supplied the authorization code required to receive the current location and after determining the positioning disclosure feature is blocked.

18. The system of claim 17 wherein the control station is further for:

determining whether the request indicates that the request is being issued in an emergency circumstance; and providing the current location information for the mobile remote unit to the source if the request is issued in the emergency circumstance.

19. The system of claim 17 wherein:

the control station is further for determining that the current location information stored on the network is recent; and

the network is further for transmitting the current location information for the mobile remote unit from the network to the source in response to the request if the source has supplied the authorization code required to receive the current location and the positioning disclosure feature is active.

20. The system of claim 17 wherein the control station is further for:

determining that the current location information stored on the network is out of date;

requesting updated current location information from the mobile remote unit;

receiving updated current location information from the mobile remote unit; and

updating the current location information to include the updated current location information.

21. The system of claim 20 wherein the control station is further for periodically requesting an update on the current location information for the mobile remote unit.

12

22. The system of claim 17 wherein a current status of the positioning disclosure feature is not available to the source before submission of the request and wherein the positioning disclosure feature is set in response to instructions received from the mobile remote unit.

23. The system of claim 17 wherein the source has not provided the authorization code required to receive the current location of the mobile remote unit when authorization required to receive the current location cannot be confirmed using an authorization code supplied by the source.

24. The system of claim 17 wherein the mobile remote unit provides the current location to a network regardless of whether the positioning disclosure feature is blocked.

25. The system of claim 17 wherein transmission of the current location from the mobile remote unit to the network is not disabled when the positioning disclosure feature is blocked.

26. The system of claim 17 wherein one or more component at the network includes a control unit and/or the mobile remote unit.

27. The system of claim 17 wherein the authorization code supplied by the source is the authorization code required from the source to receive the current location of more than one mobile remote unit.

28. The system of claim 17 wherein the source is pre-authorized to submit the request for the location of the mobile remote unit after it has been determined that the source was previously authorized to submit the request.

29. The system of claim 17 wherein the current location is kept track of without interruption or continuously tracked by the communications system, but access to the current location is denied to the source when the positioning disclosure feature is blocked.

30. The system of claim 17 wherein the current location is resolved by a selected one of (1) the mobile remote unit and (2) a component of the communication system.

31. The system of claim 17 wherein data pertaining to the positioning disclosure feature is maintained on at least one of (1) the communication system and (2) the mobile remote unit.

32. The system of claim 17 wherein the mobile remote unit is capable of processing at least one of voice and alphanumeric messages.

33. A method for limiting access to a current location information for a mobile remote unit comprising:

receiving, from a source, a request to provide a current location for a mobile remote unit connected to and a part of a communication system;

the communication system verifying, after receipt of the request, that an authorization code supplied by the source is the authorization code required from the source to receive the current location of the mobile remote unit;

the communication system determining, after receipt of the request and after verifying that the authorization code supplied by the source is the authorization code required from the source to receive the current location of the mobile remote unit, whether a positioning disclosure feature of the mobile remote unit is either active or blocked by an operator of the mobile remote unit; and

the communication system denying access to the current location of the mobile remote unit to the source when the source has supplied the authorization code required to receive the current location and after determining the positioning disclosure feature is blocked.

34. A system for limiting access to a current location information for a mobile remote unit, the system comprising:

a network for receiving, from a source, a request to provide
a current location information for a mobile remote unit
connected to the network;
the network for verifying after receipt of the request that an
authorization code supplied by the source is the autho- 5
rization code required from the source to receive the
current location of the mobile remote unit, determining,
after receipt of the request and after verifying that the
authorization code supplied by the source is the autho- 10
rization code required from the source to receive the
current location of the mobile remote unit, whether a
positioning disclosure feature for the mobile remote unit
is either active or blocked by an operator of the mobile
remote unit, and denying access to the current location 15
information of the mobile remote unit if the source has
supplied the authorization code required to receive the
current location and after determining the positioning
disclosure feature is blocked.

* * * * *